

gap



PRODUCT GUIDE

1,000's OF PRODUCTS IN STOCK



TRADE SPECIALISTS.

Everything you need for a Low Maintenance Home

BI FOLDS | SLIDERS | LANTERNS | ROOFLINE | ROCKDOOR | WINDOWS | GRP DOORS

WELCOME

TRADE SPECIALISTS


For over 30 years, GAP has been the trusted trade specialist in the **manufacture, supply, and distribution of low-maintenance building products**. With a nationwide network of depots, we make it easy for you to access **top-quality materials** and the support of our **friendly, experienced team** — wherever your next job takes you.

OUR DEPOTS

Visit any of our **fitter-friendly depots** and find everything you need to get the job done right — from **roofline, cladding, and window trims to fixings, sealants, and accessories**. Need something bespoke? Order **made-to-measure PVC-U and aluminium windows, doors, bi-folds, sliders, and roof lanterns** quickly and conveniently through your local depot.

TRADE MEMBERSHIP

Join GAP as a trade member and enjoy **exclusive access to our lowest trade prices** across all depots — every single visit. We also offer **flexible credit accounts** to make managing your business even easier. Speak to your local depot team to get started today.



Map is for illustration purposes only



EXPERT ADVICE

Hints, tips and advice from our dedicated teams. Plus, specialist technical support when needed.



LOW TRADE PRICES

Low trade prices on thousands of stocked products and made to measure items.



FAST DELIVERY

Fast free delivery from your local depot, no matter what the product.*







ORDER ONLINE

Order online or instore, whatever is easiest for you. Your trade prices will be available however you order.



HUGE STOCK LEVELS

We manufacture it, stock it and deliver it, so rest assured you're always in good hands.



*Restrictions apply

ROOFLINE & CLADDING

5-36

WINDOWS & ANCILLARIES

39-46

WINDOW & DOOR CANOPIES

51-52

SKY LIGHTS & CONSERVATORIES

55-66

ROOFING SOLUTIONS

69-79

DRAINAGE & SOIL

83-86

DECKING & FENCING

89-93

INTERNAL CLADDING

97-104

INSTALLATION ESSENTIALS

107-114

TOOLS & FIXINGS

117-123



CALL US - 0345 313 10 12



ORDER ONLINE - www.gap.uk.com

ROOFLINE & CLADDING

HOMELINE

ROOFLINE.

CORE	5
FASCIAS	7-8
SOFFITS	9-10
CORNERS & JOINTS	11-12
VENTILATION	14
DRY VERGE	15-16
CLADDING	19-25
RAINWATER SYSTEMS	27-36

CORE (RECYCLED ROOFLINE)

CORE (RECYCLED ROOFLINE)

5m LENGTHS

SQUARE 16mm

DESCRIPTION	CODE
150mm	ESF150
175mm	ESF175
200mm	ESF200
225mm	ESF225
250mm	ESF250
300mm	ESF300
405mm	ESF405

Only available in White

5m LENGTHS

SQUARE CAP OVER 9MM

DESCRIPTION	CODE
100mm	ERC095
150mm	ERC150
175mm	ERC175
200mm	ERC200
225mm	ERC225
250mm	ERC250
300mm	ERC300
400mm	ERC400
605mm	ERC605

Only available in White

5m LENGTHS

SOLID SOFFIT 9MM

DESCRIPTION	CODE
100mm	EMB100
150mm	EMB150
175mm	EMB175
200mm	EMB200
225mm	EMB225
250mm	EMB250
300mm	EMB300
400mm	EMB405
450mm	EMB450
500mm	EMB500
605mm	EMB605

Only available in White

15 YEAR GUARANTEE

VIRGIN PVC-U SKIN

100% RECYCLED CORE

5m LENGTHS

SHIPLAP CLADDING

DESCRIPTION	CODE
150mm	ESL150

Only available in White

FOR ALL CORNERS & JOINTS SEE PG 11 & 12

HOMELINE

NEW

CORNERS & JOINTS

FOR ROOFLINE INSTALLERS


EXCLUSIVE

EXCLUSIVE




- FEATURING
- ✓ PERFECT COLOUR MATCH
 - ✓ TIMBER LOOK MITRED GRAIN

SOLID SOFFIT 9mm		COLOUR OPTIONS													
DESCRIPTION	CODE	PLAIN				FOILED									
		W	PB CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW	
100mm	GMB100	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
125mm	GMB125	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
150mm	GMB150	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
175mm	GMB175	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
200mm	GMB200	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
225mm	GMB225	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
250mm	GMB250	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
300mm	GMB300	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
330mm	GMB330	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
350mm	GMB350	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
400mm	GMB400	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
405mm	GMB405	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
450mm	GMB450	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
500mm	GMB500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
605mm	GMB605	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



HOLLOW SOFFIT		COLOUR OPTIONS													
DESCRIPTION	CODE	PLAIN				FOILED									
		W	PB CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG		
300mm	GHC300	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>




Not to be used as cladding



VENTED SOFFIT 9mm (10mm CONTINUOUS AIR FLOW)		COLOUR OPTIONS							
DESCRIPTION	CODE	PLAIN		FOILED					
		W	W	BL	AG	DG	SG	R	SGLO
100mm	GVB100	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
150mm	GVB150	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
175mm	GVB175	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
200mm	GVB200	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
225mm	GVB225	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
250mm	GVB250	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
300mm	GVB300	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
330mm	GVB330	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
405mm	GVB405	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
450mm	GVB450	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
500mm	GVB500	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
605mm	GVB605	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



Double Vented Soffit Board available on request



J TRIM FOR HOLLOW SOFFIT		COLOUR OPTIONS													
DESCRIPTION	CODE	PLAIN				FOILED									
		W	W	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG		
5m	GJT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



H TRIM FOR HOLLOW SOFFIT		COLOUR OPTIONS													
DESCRIPTION	CODE	PLAIN				FOILED									
		W	PB CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG		
5m	GHS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



DOUBLE ENDED EXTERNAL FASCIA CORNER		COLOUR OPTIONS													
DESCRIPTION	CODE	PLAIN			GRAINED					FOILED					
		W	PB	CX7016	BL	AG	DG	SG	CR	R	IO	LO	FW	CG	AGATE
Square 500mm	GSC500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Square 500mm	GFC600	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bullnose 500mm	GBC500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ogee 500mm (Ogee cap over)	GOC500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ogee 500mm (Full replacement fascia)	GOF500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Square 300mm (135°)	G135RC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Ogee 300mm fascia corner (135°)	G135OFC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

DOUBLE ENDED INTERNAL FASCIA CORNER		COLOUR OPTIONS													
DESCRIPTION	CODE	PLAIN			GRAINED					FOILED					
		W	PB	CX7016	BL	AG	DG	SG	CR	R	IO	LO	FW	AGATE	
Square 500mm	GISC500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Bullnose 500mm	GIBC500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ogee 500mm	GIOFC500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ogee 300mm (Ogee cap over)	GIOC300	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Square 300mm (135°)	G1135RC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SINGLE ENDED FASCIA CORNER		COLOUR OPTIONS			
DESCRIPTION	CODE	PLAIN		FOILED	
		W	BL	R	LO
Square 300mm	GRC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Ogee 300mm (Ogee cap over)	GOC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ogee 300mm (Full replacement fascia)	GOF500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

**WE CAN SPRAY
END CAPS,
SPIRES &
GABLE ENDS...**

**ASK YOUR LOCAL
DEPOT FOR MORE INFO**

DOUBLE ENDED FASCIA JOINT		COLOUR OPTIONS													
DESCRIPTION	CODE	PLAIN			GRAINED					FOILED					
		W	PB	CX7016	BL	AG	DG	SG	CR	R	IO	LO	CG	FW	AGATE
Square 500mm	GSJ500	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Square 500mm	GFJ600	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bullnose 500mm	GBJ500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ogee 500mm (Ogee cap over)	GOJ500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ogee 500mm (Full replacement fascia)	GOFJ500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SINGLE ENDED FASCIA JOINT		COLOUR OPTIONS			
DESCRIPTION	CODE	PLAIN		FOILED	
		W	BL	R	LO
Square 300mm	GRJ	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Ogee 300mm (Ogee cap over)	GOJ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ogee 300mm (Full replacement fascia)	GOFJ	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

FASCIAS END CAP		COLOUR OPTIONS								
DESCRIPTION	CODE	PLAIN		FOILED						
		W	BL	AG	DG	SG	AGATE	R	LO	
Square 300mm	GREC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Square 300mm	GFEC	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>


3D SPIRE / FLAT BACK SPIRE		COLOUR OPTIONS			
DESCRIPTION	CODE	PLAIN		FOILED	
		W	BL	R	IO
910mm (3D)	G3DS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
910mm (Flat)	GFBS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

GABLE FINIAL		COLOUR OPTIONS							
DESCRIPTION	CODE	PLAIN		FOILED					
		W	BL	AG	DG	SG	AGATE	R	LO
350mm	GFIN	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

COLOURS

W WHITE	
PB PLAIN BLACK	
CX7016 PLAIN GREY	
BL BLACK	(RAL 8022 - Grained)
AG ANTHRACITE GREY	(RAL 7016 - Grained)
DG DARK GREY	(RAL 7016 - Smooth)
SG SLATE GREY	(RAL 7015 - Smooth)
AGATE AGATE GREY	(RAL 7038 - Grained)
R ROSEWOOD	(RAL 8017 - Grained)
IO IRISH OAK	(RAL 1011 - Grained)
LO LIGHT OAK	(RAL 8033 - Grained)
CR CREAM	(RAL 9001 - Grained)
CG CHARTWELL GREEN	(Grained)
FW FOILED WHITE	(Grained)

FELT ROOF EDGE TRIM



5m LENGTHS

DESCRIPTION	CODE
5m	GFREW

Only available in White

TREATED TIMBER ROOF BATTEN




4.8m LENGTHS

DESCRIPTION	CODE
25mm x 38mm - 4.8m	BPRB2538
25mm x 50mm - 4.8m	BPRB




CIRCULAR VENT



DESCRIPTION	CODE	W	BL	DG	B	T
70mm	GCV	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

SOFFIT VENT STRIP



DESCRIPTION	CODE	W	BL	B
70mm	GSV	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



OVER FASCIA PROTECTION EAVES PROTECTOR



1.5m LENGTHS

DESCRIPTION	CODE
1.5m	C400

OVER FASCIA VENTILATOR



1m LENGTHS

DESCRIPTION	CODE
1m (10mm air flow)	G1200N
1m (25mm air flow)	G2500N

COLOURS

W WHITE	BL BLACK	DG DARK GREY
B BROWN	T TAN	

JUMBO VENT (10mm AIR FLOW)



1m LENGTHS

DESCRIPTION	CODE
1m	C401

JUMBO VENT COMBED (10mm AIR FLOW)



1m LENGTHS

DESCRIPTION	CODE
1m	C402

BIRD COMB FILLER



1m LENGTHS

DESCRIPTION	CODE
1m	BC

UNIVERSAL DRY VERGE

CONTINUOUS DRY VERGE

DRY VERGE



DRY VERGE

COLOURS



FEATURES

- ✓ Not handed
- ✓ Quick and easy to install with a dry fit
- ✓ Universal, will fit on to any tile
- ✓ Secure fit to reduce tile vulnerability in high winds

COLOURS




FEATURES


- ✓ Continuous cover against water penetration
- ✓ All-weather fixing
- ✓ Does not require undercloak, special tools, or adhesives
- ✓ Suitable for a large range of roof tiles / slates


DRY VERGE	
	CODE ETUV
4 PER LINEAR METRE	


STARTER & END CAP	
	CODE ETSK


RIDGE HALF ROUND CAP	
	CODE ETHRC

RIDGE ANGLED CAP	
	CODE ETAC

TYPE D (FOR CONCRETE TILES)	
	DESCRIPTION CODE 5m Black, Type D Connector DVD DVDC
5m LENGTHS	

TYPE M (FOR CONCRETE TILES)	
	DESCRIPTION CODE 5m Black, Type M Connector DVM DVMC
5m LENGTHS	

TYPE S (FOR SLATE)	
	DESCRIPTION CODE 5m Black, Type S Connector DVS DVSC
5m LENGTHS	

RIDGE END CAPS	
	CODE DVREC

BROCHURE
NOW
AVAILABLE



NEW HOMELINE **DOUBLE EMBOSSED** CLADDING




AVAILABLE IN **8 STUNNING MATT COLOURS**



FEATURES & COLOURS

- ✓ Superior versatility
- ✓ Low maintenance
- ✓ Timber appearance
- ✓ Designed and made for British homes



AG ANTHRACITE (RAL 7016)	QG QUARTZ GREY (RAL 7039)	BLG BLUE GREY (RAL 7031)	LG LIGHT GREY (RAL 7035)	W WHITE (RAL 9010)	CR CREAM (RAL 9001)	S SAND (RAL 1015)	CAM CAMEL (Grained)
---------------------------------------	--	---------------------------------------	---------------------------------------	---------------------------------	----------------------------------	--------------------------------	----------------------------------

Please note RAL numbers are for guidance only

NEW

NATURAL LOOK

DOUBLE EMBOSSED

5m LENGTHS

1 BOARD = 1.66 SQM COVERAGE

DESCRIPTION	CODE
333mm	GDEC333

TREATED TIMBER ROOF BATTEN

4.8m LENGTHS

DESCRIPTION	CODE
25mm x 38mm - 4.8m	BPRB2538
25mm x 50mm - 4.8m	BPRB

2 PART INTERNAL-EXTERNAL CORNER

3m LENGTHS

DESCRIPTION	CODE
Plastic	G2ECC
Quartz Grey	G2AECCQG/3M
Blue Grey	G2AECCBLG/3M

CORNER PROFILE

3m LENGTHS

DESCRIPTION	CODE
Plastic	GECCP
Quartz Grey	GAECCPQG/3M
Blue Grey	GAECCPBLG/3M

2 PART EDGE TRIM

3m LENGTHS

DESCRIPTION	CODE
Plastic	G2ET
Quartz Grey	G2AETQG/3M
Blue Grey	G2AETBLG/3M

Quartz Grey & Blue Grey colours only available in aluminium

STANDARD JOINER PIECE (DOUBLE)

DESCRIPTION	CODE
167mm	GECJC167
333mm	GDECJ

VENTILATION PROFILE

2.5m LENGTHS

DESCRIPTION	CODE
2.5m	GECVP
Only available in Black	

STARTING PROFILE

3m LENGTHS

DESCRIPTION	CODE
3m	GECSP
Only available in Black	

SCAN ME



TO DOWNLOAD OUR TECHNICAL GUIDE

SHIPLAP CLADDING

COLOUR OPTIONS

DESCRIPTION	CODE	PLAIN		FOILED													
		W	PB CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW			
150mm	GSL150	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5m LENGTHS

1 BOARD = .75 SQM COVERAGE

OPEN V CLADDING

COLOUR OPTIONS

DESCRIPTION	CODE	PLAIN		FOILED			
		W	BL	AG	AGATE	R	LO
100mm	GOV100	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5m LENGTHS

1 BOARD = .50 SQM COVERAGE

CLOSED V CLADDING

COLOUR OPTIONS

DESCRIPTION	CODE	PLAIN		
		W	DG	SG
110mm	GCV110	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5m LENGTHS

LAP CLADDING

COLOUR OPTIONS

DESCRIPTION	CODE	PLAIN		
		W	DG	SG
167mm	GLC167	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5m LENGTHS

UNIVERSAL STARTER TRIM

CODE GUS

Only available in White

5m LENGTHS

2 PART UNIVERSAL TRIM

CODE G2UC

Only available in White

5m LENGTHS

U CHANNEL

COLOUR OPTIONS

DESCRIPTION	CODE	PLAIN		FOILED												
		W	PB CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW		
5m	GUC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5m LENGTHS

DON'T FORGET CLADDING PINS (PG 122) & BREATHABLE MEMBRANE (PG 79)

PACKS 250

50m LENGTHS

CENTRE JOINT TRIM

COLOUR OPTIONS


DESCRIPTION	CODE	PLAIN		FOILED											
		W	PB CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW	
5m	GCJ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5m LENGTHS

INDIVIDUAL CLADDING JOINT COVERS

COLOUR OPTIONS

DESCRIPTION	CODE	PLAIN		FOILED						
		W	PB CX7016	BL	AG	DG	SG	AGATE	R	LO
150mm Shiplap	GSJ150	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
100mm V Groove	GVJ100	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



2 PART EXTERNAL CORNER

COLOUR OPTIONS

DESCRIPTION	CODE	PLAIN		FOILED										
		W	PB CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
5m	G2EC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5m	G2ECCHG	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5m LENGTHS

COLOURS

PLAIN			FOILED										
W	PB	CX7016	BL	AG	DG	SG	AGATE	R	IO	LO	CR	CG	FW
WHITE	PLAIN BLACK	PLAIN GREY	BLACK (RAL 8022 Grained)	ANTHRACITE GREY (RAL 7016 Grained)	DARK GREY (RAL 7016 Smooth)	SLATE GREY (RAL 7015 Smooth)	AGATE GREY (RAL 7038 Grained)	ROSEWOOD (RAL 8017 Grained)	IRISH OAK (RAL 1011 Grained)	LIGHT OAK (RAL 8033 Grained)	CREAM (RAL 9001 Grained)	CHARTWELL GREEN (Grained)	FOILED WHITE (Grained)

FORESTA CLADDING



FEATURES & COLOURS

- ✓ V Groove finish
- ✓ Woodgrain texture
- ✓ Digitally printed finish
- ✓ Extremely durable
- ✓ Suitable for horizontal or vertical install
- ✓ Available in various colours
- ✓ Perfect for garden rooms

WO
WOODLAND
OAK
(RAL 8008)

RC
RED
CEDAR
(RAL 8003)

AP
AFRICAN
PADAUK
(RAL 7006)

SL
SIBERIAN
LARCH
(RAL 8003)

BG
BARNWOOD
GREY
(RAL 1019)

SO
SHEFFIELD
OAK
(RAL 1015)

GC
GREY
CEDAR
(RAL 7006)

WGR
WOODLAND
GREY
(RAL 7006)

FOR GREY
CEDAR OR
WOODLAND
GREY TRIMS
PLEASE USE
AFRICAN
PADAUK

SIDING WITH V-GROOVE

5m LENGTHS

DESCRIPTION	CODE
250mm	PEMFOR-

2 PART LACQUERED ALUMINIUM INT/EXT CORNER

3m LENGTHS

DESCRIPTION	CODE
3m	PSLC2A-

LACQUERED ALUMINIUM CORNER PROFILE

3m LENGTHS

DESCRIPTION	CODE
3m	PSLAA-

2 PART LACQUERED ALUMINIUM EDGE TRIM

3m LENGTHS

DESCRIPTION	CODE
3m	PSLTEA-

CONCEALED COVER

DESCRIPTION	CODE
250mm	PSLBJIV250-

STARTER TRIM

3m LENGTHS

DESCRIPTION	CODE
3m	GECSP

Only available in Black

VENTILATION PROFILE

2.5m LENGTHS

DESCRIPTION	CODE
2.5m	GECVP

Only available in Black

THE ORIGINAL
COMPOSITE
DOOR

SCAN ME



www.rockdoor.com



Architectural Letter Plate




Bull Ring Knocker



FEATURES

- ✓ Thermally efficient
- ✓ S-Glaze technology
- ✓ 50mm thick door sash
- ✓ 3mm high impact door skins
- ✓ 3 star locking cylinders
- ✓ Multipoint locking system
- ✓ 3D adjustable hinges

GRAB A
BROCHURE
TODAY



TUDOR BOARD

TUDOR BOARD



FEATURES & COLOURS

- ✓ Made of PVC-U
- ✓ Easy to install
- ✓ Foiled on 3 edges
- ✓ Perfect replacement to timber beams
- ✓ Cut using a PVC handsaw
- ✓ Use FixALL to apply and suitable screws to face fix
- ✓ Seal all edges using a clear silicone to avoid moisture ingress

BL BLACK	R ROSEWOOD	LO LIGHT OAK
DG DARK GREY	AG ANTHRACITE GREY	SG SLATE GREY

A - TUDOR BOARD 3 FOILED EDGES (20MM)							
DESCRIPTION	CODE	BL	R	LO	DG	AG	SG
150mm x 5m	GTB150	■	■	■	■	■	■

B - TUDOR BACKING BOARD			
DESCRIPTION	CODE	FW	BG
2440 x 1220 x 3mm	24/12/3	<input type="checkbox"/>	<input type="checkbox"/>
2440 x 1220 x 5mm	24/12/5	<input type="checkbox"/>	<input type="checkbox"/>
2440 x 1220 x 10mm	24/12/10	<input type="checkbox"/>	<input type="checkbox"/>

COLOURS

FW
FOILED WHITE

BG
BEIGE

LOW TRADE PRICES

NAILED ON

LOW TRADE PRICES ON ALL FIXINGS FOR THE JOB

SEE ALL OUR FIXING RANGE ON PG 122

DO YOU KNOW WE SELL?



SCAN ME



FOR A FREE QUOTE!

PERSPEX, HYGIENIC CLADDING, POLYCARBONATE, ROOF SHEETS, SPECIALIST PLASTICS

...AND MORE!

For more info email sheet.sales@gap.uk.com or call 02380 332761












SQUARE RAINWATER SYSTEM

SQUARE RAINWATER SYSTEM

SQUARE RAINWATER SYSTEM

SQUARE RAINWATER SYSTEM

<p>GUTTER LENGTH</p>  <p>DESCRIPTION CODE</p> <p>4m Square RGS4</p> <p>W BL BR A</p>	<p>UNION BRACKET</p>  <p>DESCRIPTION CODE</p> <p>Square RUS1</p> <p>W BL BR A</p>	<p>RUNNING OUTLET</p>  <p>DESCRIPTION CODE</p> <p>Square ROS1</p> <p>W BL BR A</p>	<p>STOP END OUTLET</p>  <p>DESCRIPTION CODE</p> <p>Square ROS2</p> <p>W BL BR A</p>
<p>STOP END EXTERNAL</p>  <p>DESCRIPTION CODE</p> <p>Square RES1</p> <p>W BL BR A</p>	<p>STOP END INTERNAL</p>  <p>DESCRIPTION CODE</p> <p>Square RES2</p> <p>W BL BR A</p>	<p>ANGLE</p>  <p>DESCRIPTION CODE</p> <p>90° RAS1</p> <p>135° RAS2</p> <p>W BL BR A</p>	<p>ADJUSTABLE ANGLE</p>  <p>DESCRIPTION CODE</p> <p>50° -156° RAS3</p> <p>Any degree to order RAS9</p> <p>W BL BR</p>
<p>FASCIA BRACKET</p>  <p>DESCRIPTION CODE</p> <p>Square RKS1</p> <p>W BL BR A</p>	<p>GUTTER ADAPTOR</p>  <p>DESCRIPTION CODE</p> <p>Square/Round RDS1</p> <p>W BL BR</p>		

<p>DOWNPIPE</p>  <p>DESCRIPTION CODE</p> <p>2.5m Square RPS25</p> <p>4.0m Square RPS4</p> <p>5.5m Square RPS55</p> <p>W BL BR A</p>	<p>OFFSET BEND</p>  <p>DESCRIPTION CODE</p> <p>92.5° Square RBS1</p> <p>112.5° Square RBS2</p> <p>W BL BR A</p>	<p>ADJUSTABLE OFFSET</p>  <p>DESCRIPTION CODE</p> <p>Square RBS5</p> <p>W BL BR</p>	<p>SHOE</p>  <p>DESCRIPTION CODE</p> <p>Square RBS3</p> <p>W BL BR A</p>	
<p>BRANCH</p>  <p>DESCRIPTION CODE</p> <p>67.5° Square RYS1</p> <p>W BL BR A</p>	<p>DOWNPIPE ADAPTOR</p>  <p>DESCRIPTION CODE</p> <p>Square/Round RDS2</p> <p>W BL BR A</p>	<p>PIPE SOCKET</p>  <p>DESCRIPTION CODE</p> <p>Square RSS1</p> <p>W BL BR A</p>	<p>ACCESS PIPE</p>  <p>DESCRIPTION CODE</p> <p>Square RXS1</p> <p>W BL BR G A</p>	
		<p>PIPE CLIP</p>  <p>DESCRIPTION CODE</p> <p>Standard (Square) RCS1</p> <p>W BL BR A</p>	<p>FLUSH PIPE CLIP</p>  <p>DESCRIPTION CODE</p> <p>Flush (Square) RCS2</p> <p>W BL BR A</p>	<p>HOPPER</p>  <p>DESCRIPTION CODE</p> <p>Square/Round RHS1</p> <p>W BL BR G A</p>

ROUND RAINWATER SYSTEM





ROUND RAINWATER SYSTEM


ROUND RAINWATER SYSTEM

ROUND RAINWATER SYSTEM

<p>GUTTER LENGTH</p>  <p>DESCRIPTION CODE</p> <p>4m Round RG4</p> <p>W BL BR G A</p>	<p>UNION BRACKET</p>  <p>DESCRIPTION CODE</p> <p>Round RU1</p> <p>W BL BR G A</p>	<p>RUNNING OUTLET</p>  <p>DESCRIPTION CODE</p> <p>Round RO1</p> <p>W BL BR G A</p>	<p>STOP END OUTLET</p>  <p>DESCRIPTION CODE</p> <p>Round RO2</p> <p>W BL BR G</p>
<p>STOP END EXTERNAL</p>  <p>DESCRIPTION CODE</p> <p>Round RE1</p> <p>W BL BR G A</p>	<p>STOP END INTERNAL</p>  <p>DESCRIPTION CODE</p> <p>Round RE2</p> <p>W BL BR G A</p>	<p>ANGLE</p>  <p>DESCRIPTION CODE</p> <p>90° RA1</p> <p>135° RA2</p> <p>W BL BR G A</p>	<p>ADJUSTABLE ANGLE</p>  <p>DESCRIPTION CODE</p> <p>50°-156° RA3</p> <p>W BL BR</p>
<p>DOWNPIPE</p>  <p>DESCRIPTION CODE</p> <p>2.5m Round RP25</p> <p>4.0m Round RP4</p> <p>5.5m Round RP55</p> <p>W BL BR G A</p>	<p>OFFSET BEND</p>  <p>DESCRIPTION CODE</p> <p>92.5° Round RB1</p> <p>112.5° Round RB2</p> <p>W BL BR G A</p>	<p>DOWNPIPE SOCKET</p>  <p>DESCRIPTION CODE</p> <p>Round RS1</p> <p>W BL BR G A</p>	<p>SHOE</p>  <p>DESCRIPTION CODE</p> <p>67.5° Round RB3</p> <p>W BL BR G A</p>



<p>BRANCH</p>  <p>DESCRIPTION CODE</p> <p>Round RY1</p> <p>W BL BR G A</p>	<p>ACCESS PIPE</p>  <p>DESCRIPTION CODE</p> <p>Round RX1</p> <p>W BL BR A</p>	<p>FASCIA BRACKET</p>  <p>DESCRIPTION CODE</p> <p>Round RK1</p> <p>W BL BR G A</p>	<p>PIPE CLIP</p>  <p>DESCRIPTION CODE</p> <p>Round RC1</p> <p>W BL BR G A</p>
---	--	---	--















OGEE RAINWATER SYSTEM

HI CAP RAINWATER SYSTEM

OGEE RAINWATER SYSTEM

HI CAP RAINWATER SYSTEM

<p>GUTTER LENGTH</p>  <p>DESCRIPTION CODE</p> <p>4m Ogee RGN4</p> <p>W BL BR A</p>	<p>UNION BRACKET</p>  <p>DESCRIPTION CODE</p> <p>Ogee RUN1</p> <p>W BL BR A</p>	<p>RUNNING OUTLET</p>  <p>DESCRIPTION CODE</p> <p>Ogee RON1</p> <p>W BL BR A</p>	<p>STOP END OUTLET</p>  <p>DESCRIPTION CODE</p> <p>Ogee (RH) RON3 Ogee (LH) RON2</p> <p>W BL BR A</p>
<p>STOP END EXTERNAL</p>  <p>DESCRIPTION CODE</p> <p>Ogee (RH) REN2 Ogee (LH) REN1</p> <p>W BL BR A</p>	<p>STOP END INTERNAL</p>  <p>DESCRIPTION CODE</p> <p>Ogee (RH) REN4 Ogee (LH) REN3</p> <p>W BL BR</p>	<p>ANGLE EXTERNAL</p>  <p>DESCRIPTION CODE</p> <p>90° RAN2 135° RAN4 Any degree to Order* RAN9 <small>*not available in Anthracite</small></p> <p>W BL BR A</p>	<p>ADJUSTABLE ANGLE</p>  <p>DESCRIPTION CODE</p> <p>90° RAN1 135° RAN3 Any degree to Order* RAN9 <small>*not available in Anthracite</small></p> <p>W BL BR A</p>
<p>FASCIA BRACKET</p>  <p>DESCRIPTION CODE</p> <p>Ogee RKN1</p> <p>W BL BR A</p>	<p>TOP HUNG BRACKETS</p>  <p>DESCRIPTION CODE</p> <p>Ogee RKN2</p> <p>W BL BR</p>	<p>GUTTER ADAPTOR R</p>  <p>DESCRIPTION CODE</p> <p>(RH) Ogee/Round RNR3 (LH) Ogee/Round RNR4</p> <p>W BL BR</p>	<p>GUTTER ADAPTER S</p>  <p>DESCRIPTION CODE</p> <p>(RH) Ogee/Square RNS3 (LH) Ogee/Square RNS4</p> <p>W BL BR</p>

OUR OGEE RAINWATER SYSTEMS ARE FULLY UNIVERSAL, DESIGNED TO BE COMPATIBLE WITH BOTH SQUARE AND ROUND DOWNPIPES. FOR THE DOWNPIPE ADAPTOR, SEE PAGE 28 (RDS2)

<p>GUTTER LENGTH</p>  <p>DESCRIPTION CODE</p> <p>4m Hi Cap RGH4</p> <p>W BL BR G A</p>	<p>UNION BRACKET</p>  <p>DESCRIPTION CODE</p> <p>Hi Cap RUH1</p> <p>W BL BR G A</p>	<p>FLOATING UNION</p>  <p>DESCRIPTION CODE</p> <p>Hi Cap (inc. bracket) RUH2</p> <p>W BL</p>	<p>RUNNING OUTLET</p>  <p>DESCRIPTION CODE</p> <p>Hi Cap ROH1</p> <p>W BL BR G A</p>
<p>STOP END EXTERNAL</p>  <p>DESCRIPTION CODE</p> <p>Hi Cap REH1</p> <p>W BL BR G A</p>	<p>STOP END INTERNAL</p>  <p>DESCRIPTION CODE</p> <p>Hi Cap REH2</p> <p>W BL BR G A</p>	<p>ANGLE</p>  <p>DESCRIPTION CODE</p> <p>90° RAH1 135° RAH2 Any degree to order RAH9</p> <p>W BL BR G A</p>	<p>FASCIA BRACKET</p>  <p>DESCRIPTION CODE</p> <p>Hi Cap RKH1</p> <p>W BL BR G A</p>
<p>TOP HUNG BRACKETS</p>  <p>DESCRIPTION CODE</p> <p>Hi Cap RKH2</p> <p>W BL</p>	<p>GUTTER ADAPTOR R</p>  <p>DESCRIPTION CODE</p> <p>Hi Cap/Round RHR3</p> <p>W BL BR</p>	<p>GUTTER ADAPTOR S</p>  <p>DESCRIPTION CODE</p> <p>Hi Cap/Square RHS3</p> <p>W BL BR</p>	

USE ROUND DOWNPIPE WITH OUR HI CAP RAINWATER SYSTEMS





CAST IRON STYLE RAINWATER SYSTEM

CAST IRON STYLE RAINWATER SYSTEM

ROUND CAST IRON STYLE RAINWATER SYSTEM

ROUND CAST IRON STYLE RAINWATER SYSTEM

GUTTER LENGTH  DESCRIPTION CODE 4m Round RG4CI	UNION BRACKET  DESCRIPTION CODE Round RU1CI	RUNNING OUTLET  DESCRIPTION CODE Round RO1CI	STOP END OUTLET  DESCRIPTION CODE Round RO2CI
STOP END EXTERNAL  DESCRIPTION CODE Round RE1CI	STOP END INTERNAL  DESCRIPTION CODE Round RE2CI	ANGLE 90°  DESCRIPTION CODE 90° RA1CI	ANGLE 135°  DESCRIPTION CODE 135° RA2CI
GUTTER ADAPTOR O  DESCRIPTION CODE (RH) Ogee/Square RD3CI (LH) Ogee/Square RD4CI	GUTTER ADAPTOR R  DESCRIPTION CODE Round RD5CI	FASCIA BRACKET  DESCRIPTION CODE Round RK1CI	HOPPER  DESCRIPTION CODE Universal RH1CI
DOWNPIPE  DESCRIPTION CODE 2.5m Round RP25CI	OFFSET BEND  DESCRIPTION CODE 112.5° Round RB6CI	SHOE  DESCRIPTION CODE Round (fixing lugs) RB4CI	BRANCH  DESCRIPTION CODE 67.5° Round RY1CI

PIPE SOCKET  DESCRIPTION CODE Round (fixing lugs) RS2CI	ACCESS PIPE  DESCRIPTION CODE Round RX1CI	DOWNPIPE ADAPTOR  DESCRIPTION CODE Square/Round RDS2CI	PIPE CLIP  DESCRIPTION CODE Round RC4CI
---	---	--	---

CAST IRON STYLE GUTTERING

ALSO AVAILABLE IN **OGEE & HI-CAP**

REQUIRES SQUARE OR ROUND DOWNPIPE MATCHING SOIL PIPE TO ORDER

DON'T FORGET YOUR FIXINGS & SILICONE LUBRICANT

PG 35

SEE ALL OUR FIXINGS ON PG 122



PG 35




PACKS OF 10
CAST IRON FIXINGS
DESCRIPTION CODE
50mm FC50CI

RAINWATER COLOURS & ACCESSORIES

RAINWATER COLOURS & ACCESSORIES


DOWNPIPE RAINWATER DIVERTER



DESCRIPTION	CODE
Square/Round	RVS1

W BL BR G A

BALLOON OUTLET GUARD



DESCRIPTION	CODE
Leaf protection system	192000

GUTTER BRUSH



4m LENGTHS

DESCRIPTION	CODE
4m	GM4

DRAIN GUARD



DESCRIPTION	CODE
305 X 300mm	D192001

SILICONE LUBRICANT SPRAY



DESCRIPTION	CODE
400ml (Lubricant)	SL400


SNOW/TILE GUARD



2m LENGTHS

DESCRIPTION	CODE
2m	SG1G
Bracket	SG2G

SOLVENT CEMENT



DESCRIPTION	CODE
125ml (Cement)	SC125

GUTTER GUARD



5m PACK

DESCRIPTION	CODE
5m pack	451000

ALWAYS HUGE STOCKS AVAILABLE

FloPlast
RAINWATER SYSTEMS



OGEE HI CAP SQUARE ROUND
WIDE VARIETY OF STYLES AVAILABLE

WINDOWS & ANCILLARIES

HOMEFRAME

WINDOWS.

WINDOW STYLES
WINDOW TRIMS
WINDOW BOARDS

39
43
45

WINDOW STYLES

WINDOW STYLES

FOR WINDOWS & DOORS

GAP have been fabricating PVC-U windows and doors for many years from a high tech manufacturing facility in Lancashire. We specialise in the widely respected Rehau profile, as this complements our Rockdoor and HomeFrame GRP composite doors.

All windows are made to exacting standards by highly trained PVC-U fabricators and technicians.



FEATURES

- ✓ PVC-U casements, flush fit, tilt & turn, sliding and french doors
- ✓ In-house manufacturing to UKCA standards
- ✓ Rehau PVC-U profile specialists
- ✓ Outer profiles match HomeFrame GRP doors and Rockdoor
- ✓ Hassle-free quotations from sales office and depots
- ✓ Huge choice of colours, configurations and furniture
- ✓ Glass options to cover toughening, obscurity, blinds in glass and thermal performance
- ✓ 2 hour cooling off period from point of order
- ✓ Competitive trade prices



COLLECTION OR DELIVERY


Customers can conveniently collect window deliveries from our depots, or choose direct delivery to site.

Installation essentials such as silicone, trims, and fixings are also available for collection or delivery.

FEATURES

Whether replacing a full house of windows, completing a new build property, or smaller replacement jobs, our 70mm casement window systems are easy to install and come with a range of glazing and ventilation options to help you meet building regulations.

- ✓ 70mm system
- ✓ Thermally efficient
- ✓ Large range of colours
- ✓ Available in 72, 62 & 52mm profile



HUGE NUMBER OF CONFIGURATIONS AVAILABLE

FLUSH FIT WINDOWS



FEATURES

These windows, made using a Rehau system, are the perfect addition to any home looking to achieve either a timber or aluminium style finish.



- ✓ Timber & ali look
- ✓ Thermally efficient
- ✓ Clean look

WINDOW STYLES

FRENCH DOORS

WINDOW STYLES

DOOR STYLES

TILT & TURN WINDOWS

FEATURES

- ✓ A simple concept, yet cleverly constructed.
- ✓ Our PVC-U tilt & turn windows are designed to open both vertically and horizontally to provide versatility for the user.
- ✓ Available in a variety of different styles to suit all properties.

VERSATILE OPTION



FRENCH DOORS

FEATURES

- ✓ Simple, effective and yet still a hugely popular solution to open up living spaces into gardens and patios.

HUGE NUMBER OF CONFIGURATIONS AVAILABLE



COST EFFECTIVE

SLIDING WINDOWS

FEATURES

- ✓ PVC-U sliding windows can provide either a period feature window using Georgian bars, or as feature windows on new build properties for stunning aesthetics.

PERIOD CHARM



CREATE A WINDOWS & DOORS QUOTE NOW!

SCAN ME



www.gap.uk.com

HUGE CHOICE



ALUMINIUM WINDOWS/DOORS

FEATURES

- ✓ GAP provide a wide range of aluminium windows and doors to the trade.
- ✓ These include standard aluminium windows and external doors, through to the increasingly popular aluminium internal doors as shown in the picture.

origin
DOORS AND WINDOWS

WINDOW TRIMS

WINDOW TRIMS

WINDOW TRIMS

WINDOW TRIMS

EDGE FILLET (20MM)		COLOUR OPTIONS																	
DESCRIPTION	CODE	W	BL	BULT	AG	DG	SG	AGATE	PGREY	BAL	CLAY	SAGE	CG	CR	R	IO	LO	FW	
20mm	GEF020	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
28mm	GEF028	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

D SECTION (25MM)		COLOUR OPTIONS																	
DESCRIPTION	CODE	W	BL	BULT	AG	DG	SG	AGATE	PGREY	BAL	CLAY	SAGE	CG	CR	R	IO	LO	FW	
25mm	GDS025	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

ARCHITRAVE (6MM)		COLOUR OPTIONS																	
DESCRIPTION	CODE	W	BL	BULT	AG	DG	SG	AGATE	PGREY	BAL	CLAY	SAGE	CG	CR	R	IO	LO	FW	
40mm	GCA050	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
60mm	GCA070	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
90mm	GCA100	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

QUADRANT		COLOUR OPTIONS																	
DESCRIPTION	CODE	W	BL	BULT	AG	DG	SG	AGATE	PGREY	BAL	CLAY	SAGE	CG	CR	R	IO	LO	FW	
12mm	GQU012	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
19mm	GQU019	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

RECTANGLES		COLOUR OPTIONS																	
DESCRIPTION	CODE	W	BL	BULT	AG	DG	SG	AGATE	PGREY	BAL	CLAY	SAGE	CG	CR	R	IO	LO	FW	
15 x 13mm	GRE015	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22 x 20mm	GRE025	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
30 x 25mm	GRE030	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

ANGLES RIGID		COLOUR OPTIONS							
DESCRIPTION	CODE	W	BL	AG	DG	SG	AGATE	R	LO
25 x 25mm	GA025	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
50 x 50mm	GAG050	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
50 x 50mm	GA050	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
80 x 80mm	GA080	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
100 x 80mm	GA180	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

ANGLES FLEXI		COLOUR OPTIONS	
DESCRIPTION	CODE	W	R
25 X 25mm	GF050	<input type="checkbox"/>	<input checked="" type="checkbox"/>
35 x 35mm	GF075	<input type="checkbox"/>	<input checked="" type="checkbox"/>
50 x 50mm	GF100	<input type="checkbox"/>	<input checked="" type="checkbox"/>

BATTEN COVER	
DESCRIPTION	CODE
30mm	GB30
Only available in White	



WINDOW BOARDS & SKIRTING BOARDS

BETTABOARD

WINDOW BOARDS

WINDOW BOARDS

WINDOW BOARD		COLOUR OPTIONS		
DESCRIPTION	CODE	W	LO	R
160mm	GWB150	<input type="checkbox"/>		
180mm	GWB175	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
210mm	GWB200	<input type="checkbox"/>		
240mm	GWB225	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
260mm	GWB250	<input type="checkbox"/>		
310mm	GWB300	<input type="checkbox"/>		
405mm	GWB405	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

WINDOW BOARD CHANNEL	
DESCRIPTION	CODE
5m	GWBC

Only available in White

WINDOW BOARD END CAP		COLOUR OPTIONS		
DESCRIPTION	CODE	W	LO	R
300mm	GWBLEC	<input type="checkbox"/>		
300mm	GWEC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SKIRTING BOARD & ARCHITRAVE		COLOUR OPTIONS			
DESCRIPTION	CODE	W	GO	NO	R
MDF 120mm	GBS120	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
MDF 70mm	GBA070	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

BETTABOARD		COLOUR OPTIONS				
DESCRIPTION	CODE	W	GO	NO	R	AG
150 x 22mm x 5m*	GBB150	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
180 x 22mm x 5m*	GBB180	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
200 x 22mm x 5m*	GBB200	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
225 x 22mm x 5m*	GBB225	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
250 x 22mm x 5m*	GBB250	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
300 x 22mm x 5m*	GBB300	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
600 x 22mm x 5m	G5BB600	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
600 x 22mm x 4.1m	G4BB600	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
900 x 22mm x 4.1m	G4BB900	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
500 x 22mm x 3m	GBB500	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
600 x 22mm x 3m	GBB600	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
900 x 22mm x 3m	GBB900	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

*Anthracite Grey is only available in 4.1m lengths

BETTABOARD END CAP		COLOUR OPTIONS					
DESCRIPTION	CODE	W	GO	NO	WG*	AG	T**
Solid Colour	GBBEC	<input type="checkbox"/>				<input type="checkbox"/>	<input type="checkbox"/>
Foiled Colour	FGBBEC		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>

**For Tan colour use code GBBECC

BETTABOARD MITRE JOINTS		COLOUR OPTIONS					
DESCRIPTION	CODE	W	GO	NO	WG*	AG	T**
Internal Solid Colour	GBBJ	<input type="checkbox"/>				<input type="checkbox"/>	<input type="checkbox"/>
Internal Foiled Colour	FGBBJ		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
External Solid Colour	GBBEJ	<input type="checkbox"/>				<input type="checkbox"/>	<input type="checkbox"/>
External Foiled Colour	FGBBEJ		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>

*Woodgrain is only available in end caps and joints which suits the Rosewood Bettaboard
**For Tan colour use code GBBJG

COLOURS

WINDOW BOARD			SKIRTING BOARD			
W WHITE	LO LIGHT OAK	R ROSEWOOD	W WHITE	GO GOLDEN OAK	NO NATURAL OAK	R ROSEWOOD
BETTABOARD (PG 46)						
W WHITE	GO GOLDEN OAK	NO NATURAL OAK	R ROSEWOOD	AG ANTHRACITE GREY		

**AVAILABLE
WITH SFS
HINGES**



HOMEFRAME

GRP DOORS.

FEATURES

- ✓ Glass reinforced plastic skins
- ✓ Multi point hooks
- ✓ 3 star cylinders available
- ✓ SFS hinges
- ✓ Choose from 20 colours
- ✓ 34 styles available

**GRAB A
BROCHURE
TODAY**



**NOW
FEATURING
SLIDING
DOORS**



HOMEVIEW

SLIDERS

FEATURES

- ✓ Cortizo aluminium system
- ✓ Homeowner marketing literature
- ✓ Quick quote in depots
- ✓ Quick delivery
- ✓ 47mm sightlines

**GRAB A
BROCHURE
TODAY**





**WINDOW &
DOOR CANOPIES**

BOW CANOPIES

51

GRP DOOR CANOPIES

52

BOW CANOPIES

GRP DOOR CANOPIES

GALLOWS BRACKET

DESCRIPTION	CODE
150mm Bracket	GB6
230mm Bracket	GB9

FRONT ELEVATION

TOP ELEVATION

SIDE ELEVATION

BOW CANOPIES


DESCRIPTION	CODE	A	B	C	1D	2D	E	F	H
1800 Canopy (Foam Filled)	BCFF18	250	2360	300	1900	1500	256	200	175mm
2400 Canopy (Foam Filled)	BCFF24	300	2830	300	2500	1900	390	250	310mm
2800 Canopy (Foam Filled)	BCFF28	310	3150	300	2800	2500	460	260	360mm
3400 Canopy (Foam Filled)	BCFF34	330	3730	300	3400	2800	590	280	490mm

MK.1 BASE UNITS (INCLUDING GALLOWS BRACKET)

DESCRIPTION	CODE	A	B	C	D	E	F	G
1800 1 Bracket	B18	2130	210	150	330	50	530	20
2400 1 Bracket	B24	2440	370	230	330	50	650	20
2800 2 Bracket	B28	2850	340	230	330	50	650	20

MK.2 BASE UNITS (INCLUDING GALLOWS BRACKET)

DESCRIPTION	CODE	A	B	C	D	E	F
1800 1 Bracket	*	2180	30	150	330	40	510
2400 1 Bracket	*	2670	30	230	330	40	660



*Contact your local GAP depot.

FEATURES & COLOURS



- ✓ Fast and easy installation
- ✓ Strong rigid fibreglass
- ✓ One piece leak-proof moulding
- ✓ Foam-filled / unfilled optional
- ✓ Any opening from 1500 to 3400mm

CHELTENHAM

OPEN

INVERTED T

FLEUR DE LYS

BERKLEY

DUNSTER

WARWICK

ROCKINGHAM



SPEAK TO US ABOUT BESPOKE GRP CANOPIES

FEATURES

- ✓ Easy to install and maintain
- ✓ Various configurations and colours available
- ✓ Manufactured using GRP
- ✓ Maintenance free



SKY LIGHTS & CONSERVATORIES

WENDLAND ROOF LANTERN	55
WENDLAND FLAT SKYLIGHT	57
KORNICHE ROOF LANTERN	59
KORNICHE FLAT GLASS	60
CONSERVATORY ROOFS	63
SHEET MATERIALS	64-65
GLAZING BARS	66

WENDLAND ROOF LANTERN

WENDLAND ROOF LANTERN

WENDLAND ROOF LANTERN

WENDLAND ROOF LANTERN



AVAILABLE IN ALUMINIUM & PVC-U


FEATURES & COLOURS

- ✓ Clip-on features - fast to fit
- ✓ RidgeLOCK - perfect fit every time
- ✓ Simple neat design
- ✓ Less bars than other lanterns
- ✓ No visible fixings
- ✓ High thermal performance

GLAZING OPTIONS




ALUMINIUM OR PVC-U



NEW SIZES & CONFIGURATIONS AVAILABLE

	500	750	1000	1250	1500	2000	2500	3000	3500	4000	4500	5000	5500	6000
500														
750														
1000														
1250														
1500														
2000														
2500														
3000														
3500														
4000														



This is for a maximum characteristic snow load of 0.8kN/m2 or maximum site wind load of 1.0kN/m2. More bars may be needed for higher wind and snow loads. Higher specifications can be met on request.

*The customer must ensure that the kerb and surrounding roof can adequately resist the horizontal spread of the lantern.



EASY FIT GLASS FIBRE REINFORCED RIDGELock


THERMAL CLIPS Isolating polymer and an air gap creates a thermal barrier on each rafter and the ridge

HIGH PERFORMANCE GASKETS

UV RESISTANT THERMAL END CAPS

PVC-U UNDERCLADDINGS Prevent cold creep from outside to in

THERMAL RIDER RAIL Fully thermally sleeved



UV RESISTANT THERMAL INTERNAL CAP No visible fixings, small and neat

THERMAL UNDERCLADDING Provides a thermal break at the ridge



GET YOUR ROOF QUOTE TODAY!

Email: roofquotes@gap.uk.com


WhatsApp: 07407 827899

WENDLAND FLAT SKYLIGHT

WENDLAND FLAT SKYLIGHT

FEATURES & COLOURS

- ✓ Distinctive frameless glass
- ✓ Fully insulated core
- ✓ Unique click-fit installation
- ✓ Noise reducing glass
- ✓ Overall U-value of 1.2



DESCRIPTION	CODE
600mm x 600mm - Black - Standard Glass 6/16/4	FSL06X06
1000mm x 1000mm - Black - Standard Glass 6/16/4	FSL1X1
1000mm x 1500mm - Black - Standard Glass 6/16/4	FSL1X15
1000mm x 2000mm - Black - Standard 6/16/6	FSL1X2
1200mm x 1200mm - Black - Standard Glass 6/16/4	FSL12X12



- ✓ FIRE RESISTANT
- ✓ BBA APPROVED

SEE OUR
FULL RANGE
PG 74

KORNICHE ROOF LANTERN

KORNICHE FLAT GLASS

KORNICHE ROOF LANTERN

KORNICHE FLAT GLASS



NEW

QUICK & EASY TO INSTALL


FEATURES & COLOURS

- ✓ Meticulously engineered to be the strongest and stiffest on the market
- ✓ Supports more glass without the need for additional rafters
- ✓ Fully integrated LED lighting
- ✓ Thermally broken eaves
- ✓ Q Ion gaskets
- ✓ Unbroken sightlines with slim profile
- ✓ 28mm double glazed units



KORNICHE

ALUMINIUM ROOF LANTERN




FEATURES & COLOURS

- ✓ Industry leading thermal performance
- ✓ Sizes up to 3m long and 1.7m wide*
- ✓ 28mm double or 44mm triple glazing options
- ✓ A range of self-cleaning glass options in either toughened or laminated glass
- ✓ Internal cover trim for a perfect decorated finish edge
- ✓ Designed to work with a 3-to-5 degree pitch upstand

*Maximum area is limited to 3m²

ALUMINIUM FASCIA



TRIPLE GLAZING ALSO AVAILABLE



GLAZING OPTIONS

	U Value (W/M²K)	1.2	1.2	1.2	1.0	1.0	1.0
Solar heat reflection		CLEAR 31%	NEUTRAL 59%	BLUE 73%	PREMIUM AQUA 82%	PREMIUM BLUE 83%	PREMIUM CLEAR 38%
Light transmission		77%	44%	32%	28%	23%	70%

DOUBLE GLAZING OPTIONS

	U Value (W/M²K)	1.2	1.2	1.2	1.0
Solar heat reflection		CLEAR 39%	NEUTRAL 59%	BLUE 54%	PREMIUM BLUE 81%
Light transmission		75%	45%	52%	20%

KORNICHE

HYBRID SOLID ROOFS

SOLID CONSERVATORY ROOFS

HYBRID SOLID ROOFS

SOLID CONSERVATORY ROOFS




FEATURES

- ✓ Low pitch 5° to 40.9°
- ✓ Wind tested to withstand hurricane winds up to 130mph
- ✓ Configurable glazed panels and shaped glazing for natural light and stunning internal design
- ✓ U-Value of 0.15 with option to go down to 0.12
- ✓ The most versatile and configurable solid roofing system available




COLOURS

ATHRACITE GREY (EXT)






FEATURES

- ✓ No cutting, trimming or battening on site
- ✓ Extended external soffit options
- ✓ Internal pelmet as standard
- ✓ Spans over bi-folds up to 4m
- ✓ Lightweight designed to fit on frames
- ✓ Click fit aluminium hip and ridge options
- ✓ Available without tiles - use your own to match the house
- ✓ U-Value of 0.15 with option to go down to 0.12



COLOURS



CONSERVATORY ROOF

HYGIENIC CLADDING

CONSERVATORY ROOF

SHEET MATERIALS



10 YEAR GUARANTEE

FEATURES

- ✓ First roofing system to be BBA approved
- ✓ Watertight in winds up to 130mph
- ✓ Click-fit speed locks and top-caps
- ✓ No cutting or drilling on site
- ✓ Available with range of enhancements
- ✓ Chambered top caps as standard
- ✓ Integrated structural solutions for bi-folding doors
- ✓ Ventilation built in as standard
- ✓ Colour available internally and externally



SIZES
2440 x 1200mm
3050 x 1220mm
THICKNESS OF 2.5mm


COLOURS & FEATURES

SATIN						
WHITE	CREAM	GREEN	BLUE	GREY		
PRIME COLOURS						
GLOSS WHITE	PORCELAIN WHITE	JADE	GRANITE	PEACOCK	SUGAR PLUM	
DOLPHIN GREY	ENCHANTED	BLUEBIRD	SIREN	CANDY FLOSS	BLACK ICE	
PREMIUM COLOURS						
FOREST	DOVE	RHINO	NIGHT	APRICOT	SUNFLOWER	OLIVE
ATLANTIC	AQUA	MARINE	LAVENDER	ROSE WOOD	BLOSSOM	KIWI

- ✓ UK & European Food Preparation compliant
- ✓ Hygienic & food grade
- ✓ High impact strength
- ✓ High chemical resistance
- ✓ Completely waterproof
- ✓ Excellent fire rating performance
- ✓ Easy to install & fabricate
- ✓ Easy to clean & no grout
- ✓ Colour matched trims
- ✓ SOLID sheets - not foam cored



STYLES



BESPOKE CONFIGURATIONS AND COLOURS AVAILABLE

COLOURS

WHITE	CREAM	SAGE GREEN	GREY	EBONY BLACK	IRISH OAK
-------	-------	------------	------	-------------	-----------

EXTRUDED ACRYLIC

FEATURES

- ✓ Over 90% light transmission
- ✓ Lightweight
- ✓ Easy to mount
- ✓ Good thermal insulation
- ✓ More flexible than glass
- ✓ For use indoor & outdoor
- ✓ Weather & impact resistance
- ✓ Ease of fabrication

RANGE OF COLOURS AVAILABLE



CAST ACRYLIC COLOURS AND SOLID POLYCARBONATE ALSO AVAILABLE

SCAN ME



FOR A FREE QUOTE!

MULTIWALL POLYCARBONATE

SELF SUPPORTING GLAZING BARS

COLOURS & FEATURES

- ✓ Lightweight and high-impact resistance
- ✓ Extremely durable, weather and UV resistant
- ✓ Superb thermal insulating properties
- ✓ High-light transmission
- ✓ High-performance fire rating
- ✓ Easy to handle and install

UP TO
2100 WIDTH
X 7000mm
LENGTH



CORRUGATED PVC & POLYCARBONATE




FEATURES


- ✓ High-impact strength - resists breakage
- ✓ SUNTUF and EZglaze polycarbonate
- ✓ Easily handled, quickly installed
- ✓ Requires minimal maintenance
- ✓ Fire retardant - meets the highest standards
- ✓ UV & weather resistant
- ✓ Cost-effective

FEATURES

- ✓ Suitable for glass or polycarbonate
- ✓ WALL PLATES - Takes glass or polycarbonate
- ✓ EAVES BEAMS - Support legs available for car ports
- ✓ Range of colours available
- ✓ Also available bespoke Evolution kit



RAFTER SUPPORTED GLAZING BARS



FEATURES & COLOURS

- ✓ PVC snap down caps or aluminium screw down caps
- ✓ Easy and simple installation
- ✓ Weather resistant
- ✓ Durable
- ✓ Ideal for lean to roofs, canopies, walkways, pergolas, carports, covered out door areas, and more!

WHITE

BROWN

GREY

GET YOUR SHEET SALES QUOTE TODAY!

Email: sheet.sales@gap.uk.com
Call: 02380 332761



ROOFING SOLUTIONS

ROOF SLATES & TILES	69-72
EPDM RUBBER MEMBRANE	73-74
POLYURETHANE MEMBRANE	75
LEAD	77
LEAD ALTERNATIVE	78
RIDGE KIT	79

LITESLATE ROOF TILES

LITESLATE ROOF TILES

LITESLATE ROOF TILES

LITESLATE ROOF TILES



50 YEAR WARRANTY

FEATURES

- ✓ Pitch as low as 12°
- ✓ 297mm x 445mm
- ✓ Lightweight - 12kg/sqm
- ✓ Manufactured in the UK
- ✓ Easy to install
- ✓ Strong, durable - does not crack or break
- ✓ Made from 90% recycled polymers
- ✓ Fire rated BS EN13501-5:2016 B Roof (t4)

BRITMET
LIGHTWEIGHT ROOFING


LITESLATE ROOF TILE (445MM X 297MM)



DESCRIPTION	CODE
Roof Tile	BLS

22 TILES PER PACK (1SQM)

LITESLATE RIDGE/HIP-SLATE (445MM X 155MM)



DESCRIPTION	CODE
Ash	BLSV2RA
Amethyst	BLSV2RAM
Charcoal	BLSV2RC
Oak	BLSV2RO
Slate Grey	BLSV2RSG
Sunset	BLSV2RSS
Sunshine	BLSRSUN

5.5 - 6.5 TILES PER LINEAR METER

3-WAY TOP CAP



DESCRIPTION	CODE
19-22°	BLS3W19-22
23-26°	BLS3W23-26
27-30°	BLS3W27-30

RIDGE END CAP



DESCRIPTION	CODE
19-22°	BLSREC19-22
23-26°	BLSREC23-26
27-30°	BLSREC27-30

HIP END CAP 90°



DESCRIPTION	CODE
End Cap 90°	BLSHEC90

HIP END CAP 135°



DESCRIPTION	CODE
End Cap 135°	BLSHEC135

RIDGE VENT



DESCRIPTION	CODE
Ridge Vent	BLSRV
Only available in Black	

TILE VENT




DESCRIPTION	CODE
Tile Vent	BLSTV

LITE SLATE GRP VALLEY



DESCRIPTION	CODE
1.5m	BLSV
Only available in Black	

DRY VERGE/CONNECTORS



DESCRIPTION	CODE
1m (Black)	BLSDVBL
2m (Black)	BLSDVBL/2M
Clip	BLSDVC
Only available in Black	

TREATED TIMBER ROOF BATTEN



4.8m LENGTHS

DESCRIPTION	CODE
25mm x 38mm - 4.8m	BPRB2538
25mm x 50mm - 4.8m	BPRB

COLOURS



ROOF PITCH GAUGE SLATES PER M

12-24° (fully boarded or felt & battens)	6" (152mm)	22
25-27° (fully boarded or felt & battens)	6.5" (165mm)	20
28-30° (fully boarded or felt & battens)	7" (178mm)	19
Above 30° (fully boarded or felt & battens)	7.5" (190mm)	18

DON'T FORGET MEMBRANE & FIXINGS

PG'S 79 & 122

SHINGLE ROOF TILES

SHINGLE ROOF TILES

SHINGLE ROOF TILES

SHINGLE ROOF TILES



FEATURES

- ✓ Pitch between 15-90°
- ✓ 1245mm x 258mm
- ✓ Lightweight - 7kg/sqm
- ✓ Hidden interlocking design
- ✓ Manufactured in the UK
- ✓ Easy to install
- ✓ Fire rated BS EN13501-5:2016 B Roof (t4)

BRITMET
LIGHTWEIGHT ROOFING

SHINGLE ROOF TILE

DESCRIPTION	CODE
Roof Tile	SHING40

UNIVERSAL TOP CAP

DESCRIPTION	CODE
Uni Top Cap	SLMUNIVER SALCOVER

3-WAY TOP CAP

DESCRIPTION	CODE
3-Way Top Cap	SLM3WAY RIDGE

5-WAY TOP CAP

DESCRIPTION	CODE
5-Way Top Cap	SLM5WAY RIDGE

SLIMLINE ANGLE RIDGE

DESCRIPTION	CODE
Angle Ridge	SLMAN GLERIDGE

HIP END CAP 135°

DESCRIPTION	CODE
End Cap 135°	SLMREND CAP135

2-PART BARGE SOAKER

DESCRIPTION	CODE
Barge Soaker	BARGSOAK

TREATED TIMBER ROOF BATTEN

DESCRIPTION	CODE
25mm x 38mm - 4.8m	BPRB2538
25mm x 50mm - 4.8m	BPRB

HIP END CAP 90°

DESCRIPTION	CODE
End Cap 90°	SLMREND CAP90

RIDGE END CAP

DESCRIPTION	CODE
Ridge End Cap	SLMREND CAP


SHINGLE VALLEY

DESCRIPTION	CODE
Valley 1m	VALSBLK
Only available in Black	

RIDGE VENT STRIP

DESCRIPTION	CODE
Ridge Vent Strip	RIVEST
Only available in Black	

COLOURS



EPDM RUBBER MEMBRANE

EPDM RUBBER MEMBRANE

EPDM RUBBER MEMBRANE

EPDM RUBBER MEMBRANE



FEATURES

- ✓ Stocked in selected depots and cut to size whilst you wait
- ✓ Ideal for extensions, garages, sheds, balconies, trailers and more
- ✓ Seamless sheets in 1 piece
- ✓ Fire resistant
- ✓ BBA Approved



BESPOKE CUT TO SIZE AVAILABLE


ASK IN DEPOT FOR MORE INFO!

PVC-U TRIMS

DESCRIPTION	CODE
2.5m x 65mm Edge/Kerb Trim	RCQTEDGEKERB2.5
3.5m x 65mm Edge/Kerb Trim	RCQTEDGEKERB3.5
2.5m x 65mm Gutter/Drip Trim 2 part	RCQTGUTDRIP2.5

COLOURS

CORNERS, JOINTS & END CAPS



CORNERS, JOINT & END CAPS


DESCRIPTION	CODE
Internal Corner	RCQTINTCORNER
External Corner	RCQTEXTCORNER
Trim End Cap (Small)	RCQTENDCAPS
Corner End Cap (Large)	RCQTENDCAPL
Joint	RCQTJOINTBUTT
Bond & Seal Sealant	RCQBSS
UPVC Foam Tape Roll 8m	RCQFTAPE

ADHESIVES

DESCRIPTION	CODE
Water Based Adhesive 5ltr 20m ² Coverage	RCWBA5
Water Based Adhesive 10ltr 40m ² Coverage	RCWBA10
Bonding Spray 750mm	RCSPRAY
Bonding Adhesive 5ltr	RCBA5
Bonding Adhesive 10ltr	RCBA10

JOINTING ACCESSORIES

DESCRIPTION	CODE
Quickscrubber Handle	RCQSHBM
Quickscrubber Pad	RCQSPBM
Quickprime Plus 1ltr	RCQP1
Quickseam SA	RCQSFR1525
Flashing Roll (15.25m)	



TREATED TIMBER ROOF BATTEN

DESCRIPTION	CODE
25mm x 38mm - 4.8m	BPRB2538
25mm x 50mm - 4.8m	BPRB

ROLLER

DESCRIPTION	CODE
4" Sleeve	RCMINROLR
4" Frame	RCMINROLF
9" Sleeve	RCCAGEROLR
9" Frame	RCCAGEROLF

SILICONE RUBBER ROLLER

DESCRIPTION	CODE
Silicone Rubber Roller	RCSILROL
Penny Roller	RCPR

Cast Lead Flashing code 3-4 are ideal for your next rubber membrane installation.

DETAILING ACCESSORIES

DESCRIPTION	CODE
Quickseam Pipe Boot	RCQSPB
Black Wall Flash 70mm x 3m	RCWALL70
Quickseam Corner Flashings (carton 20)*	RCQSCF
9" Formflash Roll (15.25m)	RCFFLASH 11525

*Single Trims available on request

LIQUID POLYURETHANE MEMBRANE

LIQUID POLYURETHANE MEMBRANE

LIQUID POLYURETHANE MEMBRANE

LIQUID POLYURETHANE MEMBRANE



FEATURES

- ✓ Stocked at selected depots
- ✓ Can be installed in a single layer
- ✓ Perfect for lots of detailed work
- ✓ Suitable for timber, OSB, metal, lead, bitumen, concrete, asphalt, masonry and brick
- ✓ Can be used for roofing, balconies, walkways and car parks
- ✓ Training courses available upon request
- ✓ BBA certified, green roof and NHBC approval

DESMOPOL		
DESCRIPTION	COVERAGE	CODE
Desmopol Membrane 25kg	15m ²	DP25M
Desmoplus Accelerator 2 Ltr	15m ²	DP2A
Desmopol Membrane 6kg	3.6m ²	DP6M
Desmoplus Accelerator 500ml	3.6m ²	DP0.5A
Primer PU 1000 5 Ltr	33m ²	DP5P
Desmothix 1 Ltr*	up to 60m (per 1 Ltr)	DP1T
Tecnotop2C Topcoat (UV Stability) 4 + 1kg 2 components RAL 7043	25m ²	DPT

* Additive to thicken for upstands/vertical

FEATURES

- ✓ Emergency roof repair
- ✓ Immediately waterproof
- ✓ One coat application, no primer required
- ✓ Brush applied straight from the tin
- ✓ For wet and dry surfaces
- ✓ Shelf life of 12 months once opened

ANTI-SLIPPERY FINISH		
COVERS	DESCRIPTION	CODE
25-30m	13kg (Green mineral chippings)	DP10AS
	Anti-Skid additive for Topcoat	

AQUAPOL		
COVERS	DESCRIPTION	CODE
5-10m sq ²	5kg	AP5KG

MATTING			
	DESCRIPTION	COVERAGE	CODE
	100mm x 120m	120mtrs	DP100M
	200mm x 120m	120mtrs	DP200M
	1000mm x 60m	60m ²	DP1000M
	Matting for joints, upstands and detail		



Suitable for use on concrete, fibre/cement, metal, felt, mastic, asphalt and existing bituminous coatings, leadwork, slates, tiles & brickwork. Also waterproofs gutters (plastic & metal), rigid pvc, downpipes, gulleys, flashing, vents, corrugated iron, copper and zinc.

ROLLERS & MIXING TUBS		
	DESCRIPTION	CODE
	Mini Roller Sleeves	RCCMINROLR
	Roller Sleeves 9"	RCCAGEROLR
	Roller Frame 9" Screw Fit	RCCAGEROLF
	Mini Roller Frame 10"	RCCMINROLF
	11 Ltr Mixing Tub	DPMT
	Measuring Jug 500ml	DPMJ

FEATURES

- ✓ Up to 60 year guarantee
- ✓ Minimum thickness 1.32mm (Code 3)
- ✓ Once fitted apply a single coat of patination oil - will not stain or deteriorate
- ✓ 100% recyclable
- ✓ Can be fit in any weather
- ✓ BBA Approved

CAST LEAD FLASHING 3M & 6M (CODE 3)



DESCRIPTION	CODE
150mm/6" (13.5kg)	LS150
240mm/9" (21.5kg)	LS240
300mm/12" (27kg)	LS300
390mm/15" (35kg)	LS390
450mm/18" (40.5kg)	LS450
600mm/24" (54kg)	LS600

Used in commercial roofing and suitable for light applications such as soakers at the abutment.

CAST LEAD FLASHING 3M & 6M (CODE 4)



DESCRIPTION	CODE
150mm/6" (18.5kg)	LS4150
240mm/9" (29.5kg)	LS4240
300mm/12" (36.5kg)	LS4300
390mm/15" (48kg)	LS4390
450mm/18" (55kg)	LS4450
600mm/24" (73.5kg)	LS4600

Suitable for a range of roofing projects including soakers, flashings and vertical cladding.

PATINATION OIL



DESCRIPTION	CODE
125ml	LPO05

A simple, effective and vital product for protecting new and restored roofing jobs.

FIXING CLIPS



DESCRIPTION	CODE
Packs of 20	LFC

Up to 20 times faster to install flashing - saving you time!



FEATURES

- ✓ Self adhesive using high performance butyl on the underside
- ✓ Made of sheet aluminium with a protective anti-corrosion coating
- ✓ Can be used in both flat and pitched roof applications
- ✓ Installation is simple with no special tools required
- ✓ Can be cut with a knife or scissors
- ✓ Cost effective replacement to lead

SMOOTH LEAD ALTERNATIVE



DESCRIPTION	CODE
150mm	EASYLEADR1505SMT
300mm	EASYLEADR3005SMT
450mm	EASYLEADR4505SMT

Looks like lead but has no resale value therefore preventing theft.

TEXTURED LEAD ALTERNATIVE



DESCRIPTION	CODE
150mm	EASYLEADR1505TXT
300mm	EASYLEADR3005TXT
450mm	EASYLEADR4505TXT

Unique corrugated pattern makes it easy to form and to adapt to various surfaces, giving an attractive appearance every time.

FLASHING TAPE



DESCRIPTION	CODE
75mm	FT75L
100mm	FT100L
150mm	FT150L
225mm	FT225L
300mm	FT300L

Lead replacement self-adhesive strip
Ideal for emergency repair.

RIDGE KIT



FEATURES & COLOURS

- ✓ Resistant to wind and rain
- ✓ Super strength nylon "ratchet" clips give superior strength and durability
- ✓ 6m ventilated ridge roll with pumped butyl for a quality seal
- ✓ Self-adhesive butyl strip provides a water tight seal and permanent bond

B
BLACK

T
TERRACOTTA

FELT ROOF EDGE TRIM



5m LENGTHS

CODE
GFREW

Only available in White

HIP TRAY



1.2m LENGTHS

CODE
HIPTRAY/12

RIDGE F KIT

DESCRIPTION	CODE
6m Easy Ridge F Roll Ridge Batten Brackets Universal Ridge Unions Fixing Kit	EASY RIDGE


BREATHABLE MEMBRANE



50m LENGTHS

DESCRIPTION	CODE
1m x 50m Master 223gsm Felt	EASYTRIMMASTER1
1m x 50m Pro 122gsm Felt	PROEASYTRIM/1M

PLYWOOD OSB 3



DESCRIPTION	CODE
2440 x 1220 x 18mm	18OSB
2440 x 1200 x 11mm	11OSB
2440 x 590 x 18mm	OSB18TG

SOUDAL REPAIR EXPRESS CEMENT

NEW COLOURS NOW AVAILABLE



NEW
DESCRIPTION
BRICK RED
CODE
ERCBR

NEW
DESCRIPTION
DARK GREY
CODE
ERCDG

DESCRIPTION
GREY
CODE
ERCG

DESCRIPTION
BEIGE
CODE
ERCBG

**FOR QUICK & EASY
REPAIR OR FILLING OF
JOINTS & CRACKS IN CONCRETE**

DRAINAGE & SOIL SYSTEMS




UNDERGROUND DRAINAGE
RING SEAL SOIL

83-84


85-86



PIPE PLAIN ENDED	
	
DESCRIPTION	CODE
3m	D043
6m	D046

DOUBLE SOCKET SETTLEMENT REST BEND	
	
DESCRIPTION	CODE
87.5° Bend	D570

PIPE COUPLINGS	
	
DESCRIPTION	CODE
Single Socket	D124
Double Socket	D105

DOUBLE SOCKET REST BEND	
	
DESCRIPTION	CODE
87.5° Bend	D571


SINGLE SOCKET BENDS	
	
DESCRIPTION	CODE
87.5° Bend (Socket/Spigot)	D161
45° Bend (Socket/Spigot)	D163
30° Bend (Socket/Spigot)	D164
15° Bend (Socket/Spigot)	D167

DOUBLE SOCKET BENDS	
	
DESCRIPTION	CODE
87.5° Bend	D561
45° Bend	D563
30° Bend	D564
15° Bend	D567


ADJUSTABLE BEND	
	
DESCRIPTION	CODE
0-90° Adjustable Bend	D560

SOCKET PLUG	
	
DESCRIPTION	CODE
Socket Plug	D296


MINI ACCESS CHAMBER (300MM DIA)	
	
DESCRIPTION	CODE
270mm Deep Chamber Base 5x110mm Flexible Inlets	D80
270mm 45° Inlet Chamber Base 3x110mm Flexible Inlets	D801


LARGE INSPECTION CHAMBER (450MM DIA)	
	
DESCRIPTION	CODE
270mm Deep Chamber Base 5x110mm Flexible Inlets	D900
270mm Deep Chamber Base 5x110mm Fixed Inlets	D910

BOTTLE GULLY TRAPS	
	
DESCRIPTION	CODE
Bottle Gully Circular Grid	D510
Back Inlet Bottle Gully Rectangular Grid	D530
Back Inlet Bottle Gully Circular Grid	D540
200mm Riser	D505


UNIVERSAL GULLY TRAP	
	
DESCRIPTION	CODE
Universal Gully Trap (Socket/Spigot 45°)	D500
Spare Square Grid (Polypropylene)	D502
Square Hopper inc Polypropylene Grid	D504

MINI ACCESS CHAMBER ACCESSORIES	
	
DESCRIPTION	CODE
340mm Sealed Screw Down Cover & Frame	D830

EQUAL JUNCTIONS	
	
DESCRIPTION	CODE
87.5° Junction (Double Socket)	D190
45° Junction (Double Socket)	D210
87.5° Junction (Triple Socket)	D191
45° Junction (Triple Socket)	D211

ADAPTERS	
	
DESCRIPTION	CODE
Universal Waste Adaptor	D95
(32/40/50mm) Universal Rainwater	D96
Adaptor (Sq/Rnd) 80 x 110mm Adaptor	D97

MINI ACCESS CHAMBER ACCESSORIES	
	
DESCRIPTION	CODE
100mm Chamber Riser With Integral Rubber Ring	D820
200mm Chamber Riser With Integral Rubber Ring	D822

GARAGE PACK	
	
5 Tonne Load Rating	
DESCRIPTION	CODE
110mm Domestic Channel Drainage Pack (Plastic Grid)	D750
110mm Domestic Channel Drainage Pack (Galvanised Grid)	D751
Including 3 x 1m Lengths, End cap & End outlet	

LARGE INSPECTION CHAMBER ACCESSORIES	
	
DESCRIPTION	CODE
235mm Extension Riser	D915
Riser Sealing Ring (Use With Each Frame)	D935

FLEXIBLE COUPLING & ADAPTORS	
	
DESCRIPTION	CODE
Flexi Coupling 98mm - 115mm	D288194
Flexi Adaptor 120mm - 136mm	D288193


LARGE INSPECTION CHAMBER ACCESSORIES	
	
DESCRIPTION	CODE
*450mm Plastic Cover & Frame	D930
Cast Iron Cover & Plastic Frame	D923


RING SEAL SOIL


RING SEAL SOIL


RING SEAL SOIL SYSTEM

RING SEAL SOIL SYSTEM



PIPE SINGLE SOCKET	
	
3m LENGTHS	
DESCRIPTION	CODE
3m	SP3


BRACKETS	
	
DESCRIPTION	CODE
Pipe Clip	SP82

PIPE COUPLINGS	
	
DESCRIPTION	CODE
Single Socket	SP124
Double Socket	SP105

OFFSET BENDS	
	
DESCRIPTION	CODE
135° Ringseal top & solvent bottom	SP440
135° Spigot / Solvent Socket	SP435

ACCESS FITTINGS	
	
DESCRIPTION	CODE
92.5° Access Bend	SP169
Socket Plug	SP296
Access Pipe (Socket/Spigot)	SP274

BOSSSES/MANIFOLDS	
	
DESCRIPTION	CODE
Short Boss Pipe	SP583
Strap On Boss	SP319

SOIL PIPE BRANCHES	
	
DESCRIPTION	CODE
92.5° Branch	SP190

TERMINAL FITTINGS	
	
DESCRIPTION	CODE
Vent Terminal	SP302

SOIL PIPE BENDS	
	
DESCRIPTION	CODE
3m 92.5° Bend (Socket/Spigot)	SP161
92.5° Bend (Double Socket)	SP561
135° Bend (Socket/Spigot)	SP163

BOSS ADAPTORS	
	
DESCRIPTION	CODE
32mm	SP10
40mm	SP11
50mm	SP12
Rubber Push-Fit	

SOIL WC CONNECTORS	
	
DESCRIPTION	CODE
Straight	SP101
Only available in White	

SOIL WC CONNECTORS	
	
DESCRIPTION	CODE
14° Connector	SP108
Only available in White	

SOIL WC CONNECTORS	
	
DESCRIPTION	CODE
Offset	SP102
Only available in White	

SOIL WC CONNECTORS	
	
DESCRIPTION	CODE
Swan Neck	SP100
Only available in White	

SOIL WC CONNECTORS	
	
DESCRIPTION	CODE
90° Bend	SP103
Only available in White	

SOIL WC CONNECTORS	
	
DESCRIPTION	CODE
250mm Extension	SP104
Only available in White	

SOIL WC CONNECTORS	
	
DESCRIPTION	CODE
Flexible	SP106
Only available in White	

AIR ADMITTANCE VALVES	
	
DESCRIPTION	CODE
Air Admittance Valves Push Fit 110mm	AF110



DECKING, FENCING & CLADDING




COMPOSITE DECKING	89
COMPOSITE FENCING	93
COMPOSITE CLADDING	95

89
93
95

TERRAFUZION DUAL SIDED

3600 X 140 X 23mm




FEATURES

- ✓ Enhanced woodgrain finish, dual-sided
- ✓ PVC/HDPE capped hollow board - resulting in a better performance
- ✓ Jet wash safe
- ✓ Strong and durable surface with higher scratch resistance
- ✓ Concealed fixing system
- ✓ Class B fire rating
- ✓ Colour mix technology

25 YEAR DOMESTIC WARRANTY

3.6m LENGTHS



TerraFuzion offers homeowners six colour options and the ability to create bespoke and on-trend designs, utilising contrasting sides of a TerraFuzion product.

COLOURS

MOCHA & ESPRESSO
PIRFUDME

SLATE & GRAPHITE
CODE - PIRFUDGS

SANDSTONE & ISLAND MIST
CODE - PIRFUDSI

HUNTER REVERSIBLE

3600 X 136 X 25mm



FEATURES

- ✓ Grooved and woodgrain finish, reversible board
- ✓ Low maintenance
- ✓ Concealed fixing system
- ✓ Jet wash safe
- ✓ Class C fire rating

10 YEAR DOMESTIC WARRANTY

3.6m LENGTHS

WE ALSO SELL ARTIFICIAL GRASS & ACCESSORIES



Each of the 3 colours available has a wood effect pattern on one side and a colour matching traditional grooved finish on the reverse, meaning they can be laid either way.

COLOURS

MID GREY
CODE - PIRHUDGY

BROWN
CODE - PIRHUDBR

ANTHRACITE
CODE - PIRHUBL



SCAN ME



DOWNLOAD FITTING INSTRUCTIONS HERE!

HUNTER EDGING

3.6m X 136MM

DESCRIPTION	CODE
Anthracite	PIRHUBL
Brown	PIRHUEBR
Mid Grey	PIRHUEGY

HUNTER FASCIA

3.6m X 150MM

DESCRIPTION	CODE
Anthracite	PIRHUEFBBL
Brown	PIRHUEFBBR
Mid Grey	PIRHUEFBGY

TERRAFUZION EDGING

3.6m X 140MM

DESCRIPTION	CODE
Espresso	PIRFUEES
Mocha	PIRFUEME
Sandstone	PIRFUESI
Island Mist	PIRFUEIS
Slate	PIRFUESL
Graphite	PIRFUEGS

TERRAFUZION FASCIA

3.6m X 120MM

DESCRIPTION	CODE
Espresso	PIRFUEFBES
Mocha	PIRFUEFBME
Sandstone	PIRFUEFBSI
Island Mist	PIRFUEFBIS
Slate	PIRFUEFBSL
Graphite	PIRFUEFBGS

STARTER CLIP

25 PER BOX

DESCRIPTION	CODE
Clips with screw	PIRFUDSTCSCR

END CLIP

25 PER BOX

DESCRIPTION	CODE
Clips with screw	PIRFUDENC

T CLIP

100 PER BOX

13 clips recommended per side of each board

DESCRIPTION	CODE
Clips with screw Universal Edging Clip	PIRUCLP

SLIM METAL CLIP

100 PER BOX

13 clips recommended per side of each board

DESCRIPTION	CODE
Clips with screw For use with TerraFuzion decking only	PIRFUDMCSR

COMPOSITE FENCING

COMPOSITE FENCING & ARTIFICIAL GRASS

COMPOSITE FENCING & ACCESSORIES

COMPOSITE FENCING & ACCESSORIES

TRADITIONAL FENCING

TO PROVIDE A WIDTH OF 1800MM, POST CENTRE TO POST CENTRE



FEATURES

- ✓ Dual sided woodgrain finish
- ✓ 25 year domestic warranty
- ✓ Easy to install
- ✓ Fully capped boards for additional protection
- ✓ Enhanced performance
- ✓ No staining or painting required
- ✓ Made from recycled materials
- ✓ Will not rot, warp or split

FENCE KITS ALSO AVAILABLE

12 BOARDS FOR 6FT HIGH FENCE



COLOURS

ANTIQUE GREY

CODE - PIRFENAG









BROWN CEDAR

CODE - PIRFENBCD

BLACK CARBON

CODE - PIRFENBC

Our range of composite fencing panels are unrivalled in terms of performance and style. They add a contemporary finish to any garden or outside space and remain low maintenance throughout the year.

<h3>IN GROUND POST</h3>  <table border="1"> <thead> <tr> <th>DESCRIPTION</th> <th>CODE</th> </tr> </thead> <tbody> <tr> <td>Kit (2.4m) Anthracite</td> <td>PIRFENPOST WITHOUTAN</td> </tr> </tbody> </table>	DESCRIPTION	CODE	Kit (2.4m) Anthracite	PIRFENPOST WITHOUTAN	<h3>BOLT DOWN POST & FIXING BOLTS</h3>  <table border="1"> <thead> <tr> <th>DESCRIPTION</th> <th>CODE</th> </tr> </thead> <tbody> <tr> <td>Kit (1.90m) Anthracite</td> <td>PIRFENPOST WITHAN</td> </tr> </tbody> </table>	DESCRIPTION	CODE	Kit (1.90m) Anthracite	PIRFENPOST WITHAN	<h3>POST CAP</h3>  <table border="1"> <thead> <tr> <th>DESCRIPTION</th> <th>CODE</th> </tr> </thead> <tbody> <tr> <td>80 x 80 x 25mm</td> <td>PIRFENPOST CAPAN</td> </tr> </tbody> </table>	DESCRIPTION	CODE	80 x 80 x 25mm	PIRFENPOST CAPAN	<h3>POST SKIRT</h3>  <table border="1"> <thead> <tr> <th>DESCRIPTION</th> <th>CODE</th> </tr> </thead> <tbody> <tr> <td>138 x 138 x 38mm</td> <td>PIRFENPOST SKIRTAN</td> </tr> </tbody> </table>	DESCRIPTION	CODE	138 x 138 x 38mm	PIRFENPOST SKIRTAN	
DESCRIPTION	CODE																			
Kit (2.4m) Anthracite	PIRFENPOST WITHOUTAN																			
DESCRIPTION	CODE																			
Kit (1.90m) Anthracite	PIRFENPOST WITHAN																			
DESCRIPTION	CODE																			
80 x 80 x 25mm	PIRFENPOST CAPAN																			
DESCRIPTION	CODE																			
138 x 138 x 38mm	PIRFENPOST SKIRTAN																			
<h3>TOP & BOTTOM TRIM KIT</h3>  <table border="1"> <thead> <tr> <th>DESCRIPTION</th> <th>CODE</th> </tr> </thead> <tbody> <tr> <td>TOP TRIM 1726 x 22 x 28mm</td> <td rowspan="2">PIRFEN TRIM FIXKIT</td> </tr> <tr> <td>BOTTOM TRIM 1725 x 19.5 x 43mm</td> </tr> </tbody> </table>	DESCRIPTION	CODE	TOP TRIM 1726 x 22 x 28mm	PIRFEN TRIM FIXKIT	BOTTOM TRIM 1725 x 19.5 x 43mm	<h3>DIAGONAL TRELLIS</h3>  <table border="1"> <thead> <tr> <th>DESCRIPTION</th> <th>CODE</th> </tr> </thead> <tbody> <tr> <td>1800 x 450 x 20mm</td> <td>PIRFEN TREPREMAN</td> </tr> </tbody> </table>	DESCRIPTION	CODE	1800 x 450 x 20mm	PIRFEN TREPREMAN	<h3>HORIZONTAL TRELLIS</h3>  <table border="1"> <thead> <tr> <th>DESCRIPTION</th> <th>CODE</th> </tr> </thead> <tbody> <tr> <td>1800 x 450 x 20mm (Fitted)</td> <td>PIRFEN TRESTANAN</td> </tr> </tbody> </table>	DESCRIPTION	CODE	1800 x 450 x 20mm (Fitted)	PIRFEN TRESTANAN	<h3>DECORATIVE ALUMINIUM SLATS</h3>  <div style="background: white; border-radius: 50%; padding: 5px; display: inline-block;">3 PACK</div> <table border="1"> <thead> <tr> <th>DESCRIPTION</th> <th>CODE</th> </tr> </thead> <tbody> <tr> <td>1800 x 41 x 19.5mm (Fitted)</td> <td>PIRFEN DECO</td> </tr> </tbody> </table>	DESCRIPTION	CODE	1800 x 41 x 19.5mm (Fitted)	PIRFEN DECO
DESCRIPTION	CODE																			
TOP TRIM 1726 x 22 x 28mm	PIRFEN TRIM FIXKIT																			
BOTTOM TRIM 1725 x 19.5 x 43mm																				
DESCRIPTION	CODE																			
1800 x 450 x 20mm	PIRFEN TREPREMAN																			
DESCRIPTION	CODE																			
1800 x 450 x 20mm (Fitted)	PIRFEN TRESTANAN																			
DESCRIPTION	CODE																			
1800 x 41 x 19.5mm (Fitted)	PIRFEN DECO																			

SLATTED FENCING

FITS INTO YOUR EXISTING CONCRETE POSTS



FEATURES

- ✓ Dual-sided slatted woodgrain finish
- ✓ 25 year domestic warranty
- ✓ Easy to install
- ✓ Fully capped boards for additional protection
- ✓ Enhanced performance
- ✓ No staining or painting required
- ✓ Made from recycled materials
- ✓ Will not rot, warp or split

1.8m LENGTHS

NEW



COLOURS

ANTIQUE GREY

CODE - PIRSLATFEN HORNPKAG

BROWN CEDAR

CODE - PIRSLATFEN HORNPKBCD

BLACK CARBON

CODE - PIRSLATFEN HORNPKBC

Our Slatted Fencing is an innovative system designed with multiple fitting options. The fully capped range is made from a combination of recycled HDPE plastics and FSC® certified hardwood timber creating a high-quality, long-life product that will outperform traditional timber products.

TOP & BOTTOM TRIM KIT



DESCRIPTION	CODE
Kit	PIRSLATFENTRIMKIT



WE ALSO SELL ARTIFICIAL GRASS & ACCESSORIES

ASK IN THE DEPOT FOR MORE INFO!

COMPOSITE CLADDING

FEATURES

- ✓ Fully capped surfaces for additional protection
- ✓ Comes with a 25-year domestic warranty
- ✓ Low maintenance
- ✓ Multiple applications
- ✓ Stain resistant
- ✓ Easy to install
- ✓ Concealed fixing system, enabling the cladding to be fitted vertically or horizontally, giving extra design options



SHADOW GAP CLADDING

3600 X 170 (150 FITTED) X 26mm

3.6m LENGTHS

COLOURS

ANTIQU
GREY

CODE - PIRSGCBAG

BLACK
CARBON

CODE - PIRSGCBB

BROWN
CEDAR

CODE - PIRSGCBB

The perfect solution for a modern outdoor space, or for updating door and window surrounds on a home. These 3.6m long 'slatted effect' boards are available in a range of contemporary colours to provide a fantastic backdrop to any garden.

CORNER FASCIA TRIM

3600 x 26 x 26mm (Fitted)




3.6m LENGTHS

DESCRIPTION	CODE
Antique Grey	PIRSGCCFTAG
Black Carbon	PIRSGCCFTB
Brown Cedar	PIRSGCCFTBC

END FASCIA TRIM

3600 x 26 x 26mm (Fitted)



3.6m LENGTHS

DESCRIPTION	CODE
Antique Grey	PIRSGCEFTAG
Black Carbon	PIRSGCEFTBC
Brown Cedar	PIRSGCEFTBCD

SHADOW GAP SPACER



10 PACK

DESCRIPTION	CODE
Spacer	PIRSGCFC

UNIVERSAL CLIP WITH SCREW



100 PACK

DESCRIPTION	CODE
Clip with Screw	PIRSGCCA

DON'T FORGET YOUR FIXINGS

SEE ALL OUR FIXINGS ON PG 122

SHADOW CLADDING SCREWS (QTY 25)

DESCRIPTION	CODE
Black Carbon	PIRSGSCRBB
Antique Grey	PIRSGSCRAG
Brown Cedar	PIRSGSCRBC

origin

DOORS AND WINDOWS

NEW
SOHO
STEEL LOOK
COLLECTION



BI-FOLDS | FRENCH DOORS | SINGLE DOORS | INTERNAL DOORS | WINDOWS

NOW
AVAILABLE

INTERNAL CLADDING



DECOR RANGE 250mm

97

CLASSIC RANGE 250mm

99

DECOR RANGE 1000mm

101

CLASSIC RANGE 1000mm

103

PREMIUM DECOR RANGE 250MM

PREMIUM DECOR RANGE 250MM



PREMIUM DECOR RANGE 250MM

PREMIUM DECOR RANGE 250MM



MULTITILE ANTHRACITE	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-MA


PVC TRIMS FOR 250MM PANELS (2600MM LENGTH)		
DESCRIPTION	KEY	CODE
External Corner		PWPVC-EXTC
U Channel		PWPVC-UCHAN
Internal Corner		PWPVC-INTC
H Section Joiner		PWPVC-HSECT



LIGHT GREY OAK	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-LGO



TRADITIONAL RED BRICK	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-TRB



NASSAU SILVER GREY	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-NSG




KLASSIC TILE GREY	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-KTG



GREY CHEVRON	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-GCHE



HAVANNA SILVER GREY	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-HSG



MOURINO	
DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-M

CLASSIC RANGE 250MM

CLASSIC RANGE 250MM

CLASSIC RANGE 250MM

CLASSIC RANGE 250MM



SUBTLE GREY MARBLE

2.6m LENGTHS

SILVER EMBEDDED

DESCRIPTION	CODE
250 x 7.5 x 2600/4000mm	PW-250-SE

2.6m LENGTHS


WHITE SPARKLE

DESCRIPTION	CODE
250 x 7.5 x 2600mm	IC75WS

2.6m LENGTHS

WHITE ASH WOODGRAIN

DESCRIPTION	CODE
250 x 7.5 x 2600mm	IC75WA



LAVA

DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-L

2.6m LENGTHS

PERGAMON

DESCRIPTION	CODE
250 x 7.5 x 2600mm	IC75PM

2.6m LENGTHS

WHITE HIGH GLOSS

DESCRIPTION	CODE
250 x 7.5 x 2600/4000/6000mm	IC75WHG

2.6m LENGTHS

DARK GREY MARBLE

DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-DGM

2.6m LENGTHS

SUBTLE GREY MARBLE

DESCRIPTION	CODE
250 x 7.5 x 2600mm	IC75SGM

2.6m LENGTHS

CONCRETE GREY

DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-CG

2.6m LENGTHS

ORION

DESCRIPTION	CODE
250 x 7.5 x 2600mm	PW-250-O

PREMIUM DECOR RANGE 1000MM

PREMIUM DECOR RANGE 1000MM

PREMIUM DECOR RANGE 1000MM

PREMIUM DECOR RANGE 1000MM



ALUMINIUM TRIMS FOR 1000MM PANELS (2400MM LENGTH)

DESCRIPTION	KEY	CODE
External Corner		PW-EXTC
U Channel		PW-UCHAN
Internal Corner		PW-INTC
Quadrant End Cap		PW-UQUAD
H Section Joiner		PW-HSECT
Angle 18.8 x 18.8mm		PW-RIGID

PVC TRIMS FOR 1000MM PANELS (2400MM LENGTH)

DESCRIPTION	KEY	CODE
External Corner		PW10PVC-EXTC
U Channel		PW10PVC-UCHAN
Internal Corner		PW10PVC-INTC
H Section Joiner		PW10PVC-HSECT

CROSS SECTION



COLOURS

ALUMINIUM COLOURS


CHROME

PVC COLOURS

WHITE CHROME




MOCCACHINO	
DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-MOCC



FULL WAVE	
DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-FW




LONDON TILE	
DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000- LT




WAVE TILE	
DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-WT



MILAN	
DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-MM



HONEYCOMB TILE GREY	
DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-HTG



CLASSIC RANGE 1000MM

CLASSIC RANGE 1000MM

CLASSIC RANGE 1000MM

DECOR RANGE 1000MM



2.4m LENGTHS

WHITE PLATINUM SPARKLE

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-WS

2.4m LENGTHS

DARK GREY MARBLE

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-GM

2.4m LENGTHS

CARRERA MARBLE

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-CCM



2.4m LENGTHS

SUBTLE GREY MARBLE

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-SGM

2.4m LENGTHS

WHITE HIGH GLOSS

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-HGW

2.4m LENGTHS

TRAVERTINE

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-T

2.4m LENGTHS

LAVA

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-LAV

2.4m LENGTHS

CONCRETE GREY

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-CON

2.4m LENGTHS

PERGAMON

DESCRIPTION	CODE
1000 x 10 x 2400mm	PW-1000-PG

INSTALLATION ESSENTIALS



SILICONES & SEALANTS	107
ADHESIVES & AEROSOLS	109
FIX ALLS	110
EXPANDING FOAMS, REPAIR PAINTS & WIPES	111
CLEANERS	114

SILIRUB 2

DESCRIPTION	CODE
Brilliant White	GS2W
Clear	GS2C
Irish Oak	GS2IO
Teak	GS2B
Cream (Ral 9001)	GS2CR
Portland Stone	GS2PS
Toffee	GS2T
Buff	GS2BF
Dark Grey	GS2DG

Premium quality perimeter sealing of PVC-U windows & doors.

SILIRUB N

DESCRIPTION	CODE
Brilliant White	GSNBW
Clear	GSNC
Teak	GSNB
Anthracite	GSNA
Black	GSNBL
Dark Brown	GSNDB

A general purpose low modulus neutral cure silicone.

SILIRUB COLOUR

DESCRIPTION	CODE
Wine Red (Ral 3005)	GSCWR
Royal Blue (Ral 5011)	GSCRB
Rustic Green (Ral 6009)	GSCRG

AVAILABLE IN 73 COLOURS UPON REQUEST

RAL colour match silicone for coloured profiles. Other colours available subject to lead time. Premium quality perimeter sealing of PVC-U Windows, Doors and Roofline.

SILIRUB LMN

DESCRIPTION	CODE
Brilliant White	GLMNW
Clear	GLMNC
Caramel	GS20
Teak	GLMNB
Bronze	GS2BZ
Black (Ral 8022)	GS2BL
Anthracite (Ral 7016)	GS2A
Agate	GLMNAGATE
Slate	GLMNSG
Dark Brown	GLMNDB
Pebble Grey	GLMNPGRY

Superior performance perimeter sealing of PVC-U windows & doors.

SILIRUB 1

DESCRIPTION	CODE
White	GSANW
Clear	GSANC

High quality sanitary sealant with fungicide.

SILIRUB LM

DESCRIPTION	CODE
Brilliant White	128335

High trade quality silicone.

EXTERIOR FRAME SILICONE

DESCRIPTION	CODE
Brilliant White	EFSW
Clear	EFSC
Brown	EFSB
Black	EFSBL
Grey	EFSG

A general purpose low modulus neutral cure sealant with fungicide.

FOR TECHNICAL SUDAL INFO...



SCAN ME



DECORATORS CAULK

DESCRIPTION	CODE
White	AS1
Brown	AS2

Paintable acrylic for the interior sealing of PVC-U windows & doors.

LEAD NEUTRAL SILICONE

DESCRIPTION	CODE
Grey	LS

Suitable for sealing of lead sheet.

SMX 506

DESCRIPTION	CODE
SMX 506 - White	SMXW
SMX 506 - Black	SMXBL

An approved wet sealant for self cleaning glass.

GAP FILLER

DESCRIPTION	CODE
White	GP2

Solvent based PVC resin for filling/sealing of PVC-U frames.

AQUAFIX

DESCRIPTION	CODE
Transparent	AWS2

Repair of leaking rainwater joints or when sealing on damp surfaces.


SODASEAL MIRROR

DESCRIPTION	CODE
Grey	GMA

Hybrid based mirror adhesive non deforming to mirror backing.

SODAFILL LIGHT WEIGHT FILLER

DESCRIPTION	CODE
900ml White	LWF900W



Lightweight sandable filler for filling of cracks and holes.

REPAIR EXPRESS

DESCRIPTION	CODE
Grey	ERCG
Beige	ERCBG
Brick Red	ERCRD
Dark Grey	ERCDG

Textured repair cement.

NEW COLOURS NOW AVAILABLE

FOR QUICK & EASY REPAIR OR FILLING OF JOINTS & CRACKS IN CONCRETE

HIGH SPEED REPAIR



BUY IN BULK & SAVE!

SILIRUB COLOR

SEE PG 107



SUPER GLUES

DESCRIPTION	CODE
Super Glue 20gms (Medium Viscosity)	SG
Super Glue 50gms (High Viscosity)	50SG

SUPER GLUE & ACTIVATOR (TWIN PACK)

DESCRIPTION	CODE
Super Glue & Activator	50MK

Fast curing superglues & activator to improve adhesion time.

ACTIVATOR

DESCRIPTION	CODE
Super Glue Activator 200ml	SGA

SOUDABOND EASY

DESCRIPTION	CODE
Gun Grade 750ml	FAEGG
Hand Held 750ml	FAEHH

Fast curing PU foam adhesive mortar for filling & bonding.

GRIP ALL

DESCRIPTION	CODE
Solvent Based	GASB
Solvent Free	GASF

Fibre reinforced grab adhesive.

AEROSOLS

MULTI SPRAY

DESCRIPTION	CODE
Universal	GMS

Ideal for use on screws, bolts, nuts, axles, hinges & much more.

SILICONE LUBRICANT

DESCRIPTION	CODE
Multi use	SL400

Protective, lubricating, water repellent spray based on silicone oils.

ULTIMATE SEALANT & ADHESIVE RANGE

The highly advanced range of multi-functional sealant and adhesive products are suitable for all your bonding and sealing needs, inside and outside, on all types of materials and surfaces. The ultimate all-around product range. We offer 4 different variants of Fix ALL® each with its own specific properties and characteristics.

FIX ALL TURBO

DESCRIPTION	CODE
White	FATW

Super-fast (20 mins), high initial tack, all weather use, mould resistant.

FIX ALL EXTREME EXPRESS

DESCRIPTION	CODE
White	FAEW

Developed for the immediate bonding of extremely heavy materials.

FIX ALL HIGH TACK

DESCRIPTION	CODE
White	FAW
Brown	FAB
Black	FABL
Grey	FAGR

Ultimate in sealant and adhesive performance, mould resistant.

FIX ALL CRYSTAL

DESCRIPTION	CODE
Crystal Clear	FAC

100% Crystal clear, virtually invisible bonding, mould resistant, all weather use.

	FIX ALL TURBO	FIX ALL EXTREME EXPRESS	FIX ALL HIGH TACK	FIX ALL CRYSTAL
SEALING	★★		★★★★★	★★★★★
BONDING	★★★★★	★★★★★	★★★★★	★★★
INITIAL GRAB	★★★	★★★★★	★★★★	★★
FAST SETTING	★★★★★	★★★★	★★	★

EXPANDING FOAMS



WIPES THAT FIGHT DIRTY

ULTRAGRIME GIVES YOU EXACTLY WHAT YOU NEED TO TAKE DOWN LIFE'S BIGGEST MESSSES FASTER AND EASIER THAN EVER BEFORE.

USE BIGGER, WETTER, STRONGER WIPES. USE ULTRAGRIME



MULTIUSE

WHETHER YOU NEED TO CLEAN UP OIL, GREASE, INK, PAINT, SILICONES, OR UNCURED PU FOAM, REACH FOR YOUR ULTRAGRIME PRO MULTIUSE CLOTH TO HANDLE IT.

DESCRIPTION	CODE
100 Wipes	UW5900

POWER SCRUB

ULTRAGRIME POWER SCRUB IS SERIOUSLY POWERFUL. TAKE OUT STUBBORN, GROUND-IN GREASE, DIRT & GRIME WITH EASE - THESE CLOTHWIPES HAVE A TEXTURED SIDE FOR EXTRA SCRUBBING POWER.

DESCRIPTION	CODE
80 Wipes	UW5920

ANTI BAC

WHEN THE JOB GETS MESSY, ULTRAGRIME PRO: ANTI-BAC WIPES DELIVER PROFESSIONAL GRADE CLEANING AND DISINFECTION TO ANY APPLICATION.

DESCRIPTION	CODE
100 Wipes	UW5930

AVAILABLE IN DEPOTS NOW

EXPANDING FOAMS, REPAIR PAINTS

GUN GRADE	
DESCRIPTION	CODE
Gun Grade 750ml	EGG
Foam Gun Cleaner 500ml	EGC

HAND HELD	
DESCRIPTION	CODE
Hand Held 750ml	EHH

GENIUS GUN	
DESCRIPTION	CODE
Genius Gun 600ml	124107

Hand held & Gun applied expanding PU foams for window & door installation.

TOUCH UP & REPAIR PAINTS

GRP DOOR SPRAY PAINT	
DESCRIPTION	CODE
Chartwell Green	GRPSPRAYCG
Red	GRPSPRAYR
Duck Egg Blue	GRPSPRAYDEB
Anthracite Grey	GRPSPRAYANG
Black	GRPSPRAYBL
Green	GRPSPRAYGRE
White	GRPSPRAYW
Blue	GRPSPRAYBLUE

GAP PVC SPRAY PAINT	
DESCRIPTION	CODE
Agate Grey	GAPSPRAYAGATE
Chartwell Green	GAPSPRAYCG
Black Brown	GAPSPRAYBL
Slate Grey	GAPSPRAYSLATE
Anthracite Grey	GAPSPRAYANG

PVC-U COVER UP MARKER PEN	
DESCRIPTION	
White	WHMP
Black	BMP
Woograin	WMP
Cherry	CMP
Rosewood	RMP
Chartwell Green	CGMP
Irish Oak	IOMP
Cream	CRMP
Agate Grey	AGATEMP
Slate Grey	SGMP
Dark Grey	DGMP

Other colours available on request.

ALUMINIUM BI FOLD SPRAY PAINT	
DESCRIPTION	CODE
Anthracite Grey	BIFOLDSPRAYAG
White	BIFOLDSPRAYW
Black	BIFOLDSPRAYBL

SOUDAL CLEANING RANGE

NEW

GLASS & MIRROR FOAM CLEANER

DESCRIPTION
Aerosol Glass Foam
Cleaner 750ml

CODE
AGC



PVC SPRAY CLEANER

DESCRIPTION
Aerosol Frame Spray
Cleaner 750ml

CODE
AFC

FOIL SAFE SPRAY CLEANER

DESCRIPTION
Aerosol Foil Safe Spray
Cleaner 750ml

CODE
ASC

NEW



WINDOW & DOOR CARE KIT

DESCRIPTION
Includes Foil Safe Spray Cleaner,
Glass & Mirror Foam Cleaner and
Silicone Spray 400ml

CODE
WDCK

SOUDAL WINDOW & DOOR CARE KIT

NOW AVAILABLE

CLEANERS

CLEANERS

GLASS CLEANER



DESCRIPTION	CODE
Glass Cleaner 1 Ltr	GC

SOLVENT CLEANER



DESCRIPTION	CODE
Solvent Cleaner 1 Ltr	FC

CREAM CLEANER



DESCRIPTION	CODE
Cream Cleaner 1 Ltr	FCC

AEROSOL GLASS FOAM CLEANER



DESCRIPTION	CODE
Aerosol Glass Foam Cleaner 750ml	AGC

AEROSOL FRAME SPRAY CLEANER



DESCRIPTION	CODE
UPVC Frame & Door Cleaner 750ml	AFC

FOIL SAFE SPRAY CLEANER



DESCRIPTION	CODE
Foiled UPVC Frame & Door Cleaner 750ml	ASC

NEW

TISSUE WIPECLEANER

DESCRIPTION	CODE
183mm x 150m	TW



1 ROLL =
1.25 TIMES
THE LENGTH OF A
FOOTBALL
PITCH!

SEALANT REMOVER CLEANER

DESCRIPTION	CODE
400ml	GSR



To aid with removal of
any sealant. Fast-acting
aerosol formulation.

SWIPEX CLEANING WIPES

DESCRIPTION	CODE
100	MPCW



For cleaning of hands
& tools and to remove
fresh silicone, PU,
grease, oil, dirt & other
contaminants (100
wipes).

TOOLS & FIXINGS



TOOLS	117
PACKERS	120
PROPERTY CARE & DRILLS	121
FIXINGS	122


PREDATOR PVC-U SAW

DESCRIPTION	CODE
508mm (20")	PVCHS



PREDATOR UNIVERSAL SAW

DESCRIPTION	CODE
508mm (20")	UHS
350mm (14")	TLS44




PREDATOR TWIN PACK

DESCRIPTION	CODE
Twin Pack	SJTP



HACKSAWS & BLADES


DESCRIPTION	CODE
Frame 300mm (12")	TLS19
Blade (each)	TLS20



BODY SUCTION LIFTER

DESCRIPTION	CODE
3 Cup	GLASSLIFT1

120kg Maximum Capacity



RETRACTABLE STANLEY 99E KNIFE

DESCRIPTION	CODE
Knife	TLS13
Blades (Pk 5)	TLS22



NYLON FACED HAMMERS


DESCRIPTION	CODE
20oz 32mm	KEN5273040K
Replacement Face 32mm	KEN5293040K
24oz 38mm	KEN5273060K
Replacement Face 38mm	KEN5293060K



GLASS GAUGE

DESCRIPTION	CODE
Professional grade glass measuring gauge	GMG

JAWS OPEN TO 104MM



NEW



**QUICK & ACCURATE
MEASURE FOR GLASS
SEALED UNITS**

HEAVY DUTY SILICONE GUN

DESCRIPTION	CODE
Professional grade, full metal applicator gun.	HDSHG



SILICONE HAND GUN

DESCRIPTION	CODE
400ml	SHGL




EXPANDING FOAM GUN

DESCRIPTION	CODE
Applicator	FGA




GASKET SHEARS

DESCRIPTION	CODE
Can also be used to cut window trims.	TLS36




MOON KNIFE

DESCRIPTION	CODE
Moon Knife	TLS65




SLIDING BEVEL

DESCRIPTION	CODE
Sliding Bevel	KEN5976750K



T BAR ALLEN KEY

DESCRIPTION	CODE
4mm 3D Hinge Adjustment	KEN6016080K




T15 TORX BAR

DESCRIPTION	CODE
Keep Adjustment	KEN6030150K



TAPE MEASURES

DESCRIPTION	CODE
Stanley 5m	TLS59
Stanley 8m	TLS60




XPERT CHISEL BEAD KNIFE

DESCRIPTION	CODE
32mm	KNIFEIS32MM



CROW BAR

DESCRIPTION	CODE
906mm (24")	KEN5057240K




**ALWAYS LOW
TRADE PRICES**

www.gap.uk.com

HOLE SAW

DESCRIPTION	CODE
70mm	HS70B
40mm	HS40B

Fits Arbour 32mm-210mm



Suitable for circular vent

ARBOUR

DESCRIPTION	CODE
A2 Arbour 32mm-210mm (5/8" x 18 thread)	AA2B



Fits Holesaw 40-70mm

DRIVER BIT

DESCRIPTION	CODE
PZ2 -150mm (pk 1)	2CB150GB



JIGSAW BLADES

DESCRIPTION	CODE
Fine/Clean Cut 75mm	AHC12
Course Cut 75mm	AHG13



PACKS 5

SABRE SAW BLADES

DESCRIPTION	CODE
Long Thick Cut Metal 180mm	S1122BF
Straight Coarse Cut 130mm	S1531L
Medium Cut Metal 130mm	S644D



PACKS 5

MASKING TAPE


DESCRIPTION	CODE
25mm Masking Tape	TLS17
24mm Blue Masking Tape	BMT24



50m LONG

DOUBLE-SIDED TAPES


DESCRIPTION	CODE	DESCRIPTION	CODE
10 x 1mm / 50m	GDS101	12 x 5mm / 12m	GDS125
10 x 2mm / 25m	GDS102	15 x 1mm / 50m	GDS151
10 x 3mm / 20m	GDS103	15 x 3mm / 20m	GDS153
10 x 4mm / 15m	GDS104	15 x 4mm / 15m	GDS154
12 x 1mm / 50m	GDS121	17 x 6mm / 10m	GDS176
12 x 3mm / 20m	GDS123	20 x 3mm / 20m	GDS203
12 x 4mm / 15m	GDS124	20 x 5mm / 12m	GDS205



Available in Black and White

24MM FLAT PACKERS


DESCRIPTION	BAG (100)	BOX (1000)
24 x 100 x 1mm Green	FP241B	FP241
24 x 100 x 2mm Black	FP242B	FP242
24 x 100 x 3mm White	FP243B	FP243
24 x 100 x 4mm Grey	FP244B	FP244
24 x 100 x 5mm Blue	FP245B	FP245
24 x 100 x 6mm Red	FP246B	FP246



BAGS 100 **BOX 1000**

28MM FLAT PACKERS


DESCRIPTION	BAG (100)	BOX (1000)
28 x 100 x 1mm Green	FP281B	FP281
28 x 100 x 2mm Black	FP282B	FP282
28 x 100 x 3mm White	FP283B	FP283
28 x 100 x 4mm Grey	FP284B	FP284
28 x 100 x 5mm Blue	FP285B	FP285
28 x 100 x 6mm Red	FP286B	FP286



BAGS 100 **BOX 1000**

MIXED FLAT PACKERS

DESCRIPTION	CODE
24 x 100 x 1-6mm	MP24B
26 x 100 x 1-6mm	MP26B
28 x 100 x 1-6mm	MP28B
30 x 100 x 1-6mm	MP30B
32 x 100 x 1-6mm	MP32B
44 x 100 x 2-5mm (Bag 50)	MP44B




BAGS 100

44mm Suitable for Triple Glazing - Bags of 50

BRIDGE PACKER

DESCRIPTION	CODE
20 x 100 x 5mm	BP205
24 x 100 x 5mm	BP245
26 x 100 x 5mm	BP265
28 x 100 x 4mm	BP284
32 x 100 x 5mm	BP325



PACKS 1000

GLAZING SHOVEL

DESCRIPTION	CODE
Glazing Shovel	GZS



WINBAG

DESCRIPTION	CODE
Expands from 2mm - 50mm	WB





WINBAG
- pump it up..!

FLOOR PROTECTOR

DESCRIPTION	CODE
600mm x 50m	PFCC650

Available in Yellow or Clear



50m LONG

DUST SHEETS/TARPAULINS

DESCRIPTION	CODE
Dust Sheet 3660 x 2750mm (12" x 9")	DS
Tarpaulin 5490 X 3660mm (18" x 12")	TP



RUBBLE SACKS

DESCRIPTION	CODE
18" x 29" (Roll of 7)	RS
18" x 29" (Roll of 100)	RS100



DRILLS

PREMIUM SDS HAMMER DRILL

DESCRIPTION	CODE
6.2mm x 210mm	SDSPL6210
6.2mm x 260mm	SDSPL6260
6.5mm x 210mm	SDSPL65210
6.5mm x 260mm	SDSPL65260



LONG SERIES HSS DRILL BIT


DESCRIPTION	CODE
3.0mm	HSS3
4.0mm	HSS4
5.0mm	HSS5
6.0mm	HSS6
7.0mm	HSS7
8.0mm	HSS8
9.0mm	HSS9
10.0mm	HSS10



CHECK OUT YOUR LOCAL DEPOT FOR MORE TOOLS & FIXINGS

www.gap.uk.com


PLASTIC HEADED PINS



PACKS 250

DESCRIPTION	CODE	W	BL	DG	SG	AGATE	R	IO	O	CR/FW	WR	RB	RG	CG
30mm	PHP3	<input type="checkbox"/>	<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>					
30mm	GP30			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
40mm	PHP2	<input type="checkbox"/>	<input checked="" type="checkbox"/>						<input checked="" type="checkbox"/>					

PLASTIC HEADED NAILS




PACKS 100

DESCRIPTION	CODE	W	BL	DG	SG	AGATE	R	IO	O	CR/FW	WR	RB	RG	CG
50mm	PHN1	<input type="checkbox"/>												
60mm	PHN2	<input type="checkbox"/>	<input checked="" type="checkbox"/>											
65mm	GN60			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

CLADDING PINS

DESCRIPTION	CODE
30mm	GCP30


PACKS 250



RAWLPLUGS

DESCRIPTION	CODE
Brown	RP1
Red	RP2

PACKS 100




Brown:
Drill size 7mm
Minimum hole depth 45mm

Red:
Drill size 5.5mm
Minimum hole depth 35mm

SHADOW CLADDING SCREWS

DESCRIPTION	CODE
Black Carbon	PIRSGSCRBB
Antique Grey	PIRSGSCRAG
Brown Cedar	PIRSGSCRBC



PACKS 25

COLOURS

W WHITE	O LIGHT OAK	BL BLACK
CR/FW CREAM	DG DARK GREY	WR WINE RED
SG SLATE GREY	RB ROYAL BLUE	AGATE AGATE GREY
RG RUSTIC GREEN	R ROSEWOOD	
CG CHARTWELL GREEN	IO IRISH OAK	

COVER CAPS

DESCRIPTION	CODE
Pack of 100	CC

WHITE	BLACK
BROWN	DARK GREY

PACKS 100

FIXINGS

FIXINGS

FEATURES

- ✓ No plug
- ✓ High strength
- ✓ 50% quicker assembly
- ✓ 30% less drive-in torque required



DIRECT FRAME ANCHORS (T30)

PACKS 100



DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE
7.5mm x 62mm	DFA7562	7.5mm x 112mm	DFA75112	7.5mm x 152mm	DFA75152
7.5mm x 82mm	DFA7582	7.5mm x 122mm	DFA75122	7.5mm x 202mm	DFA75202
7.5mm x 102mm	DFA75102	7.5mm x 142mm	DFA75142		



PACKS 200

PACKS 200

STAR SCREWS (PZ2)



DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE
4mm x 25mm	GSS425	5mm x 25mm	GSS525	5mm x 90mm	GSS590
4mm x 30mm	GSS430	5mm x 30mm	GSS530	5mm x 100mm	GSS5100
4mm x 35mm	GSS435	5mm x 40mm	GSS540		
4mm x 40mm	GSS440	5mm x 50mm	GSS550		
4mm x 50mm	GSS450	5mm x 60mm	GSS560		
4mm x 60mm	GSS460	5mm x 70mm	GSS570		
4mm x 70mm	GSS470	5mm x 80mm	GSS580		

PACKS 100



PACKS 100

BAYPOLE SCREWS (PH2)

DESCRIPTION	CODE	DESCRIPTION	CODE
5mm x 50mm	GBS550	5mm x 80mm	GBS580
5mm x 60mm	GBS560	5mm x 100mm	GBS5100
5mm x 70mm	GBS570		

FOILED SPECIALIST

HOMELINE

ROOFLINE

FEATURES

- ✓ Manufactured by GAP
- ✓ BBA approved
- ✓ Huge stocks available
- ✓ Quick quote in depots
- ✓ Quick delivery

GRAB A BROCHURE TODAY





★ Trustpilot



Please Review Us

Let us know how we are doing!

Scan the QR code above & leave us a review.

Thank you



HOMEFRAME
WINDOWS.

HOMEVIEW
BI FOLDS.

HOMEFRAME
GRP DOORS.

HOMELINE
ROOFLINE.





**OPEN A
TRADE
MEMBERSHIP &
START SAVING
TODAY!**

SCAN ME



SCAN THE QR CODE TO VIEW OUR BROCHURES ONLINE.



**CALL US
0345 313 10 12**



**ORDER ONLINE
www.gap.uk.com**

FOLLOW US @GAP Ltd



GAP's policy is one of continuous improvement and we reserve the right to change details and prices at any time without notice. Reproduction of this brochure - in part or full - is strictly forbidden without the written consent of GAP. Due to variations in the printing process, colours are to be considered as representative of the actual product. GAP as an innovator in the industry will vigorously uphold and defend its intellectual and artistic rights from copy. Please adhere to all fitting guides where shown.
© 2025, General All-Purpose Plastic. GPG 08 10/2025.